
BULLETIN
OF
MISCELLANEOUS INFORMATION.

APPENDIX I.—1901.

LIST OF SEEDS OF HARDY HERBACEOUS PLANTS
AND OF TREES AND SHRUBS.

The following is a list of seeds of Hardy Herbaceous Annual and Perennial Plants and of Hardy Trees and Shrubs which, for the most part, have ripened at Kew during the year 1900. These seeds are not sold to the general public, but are available for exchange with Colonial, Indian, and Foreign Botanic Gardens, as well as with regular correspondents of Kew. No application, except from remote colonial possessions, can be entertained after the end of March.

HERBACEOUS PLANTS.

Acaena glabra, *J. Buch.*
 macrostemon, *Hook. f.*
 microphylla, *Hook. f.*
 myriophylla, *Lindl.*
 Novae-Zelandiae, *Kirk.*
 ovalifolia, *Ruiz & Pav.*
 Sanguisorbae, *Vahl.*
 sarmentosa, *Carmich.*

Acanthus longifolius, *Poir.*

Achillea Ageratum, *L.*
 decolorans, *Schrad.*
 Gerberi, *Willd.*
 leptophylla, *Bieb.*
 ligustica, *All.*
 macrophylla, *L.*

Achillea, *cont.*
 magna, *L.*
 moschata, *Jacq.*
 nobilis, *L.*
 odorata, *L.*
 Ptarmica, *L.*
 rupestris, *Huter.*
 Santolina, *L.*
 sieheana, *Stapp.*
 taygetea, *Boiss. & Heldr.*

Aconitum ferox, *Wall.*
 — var. *crassicaule*.
 heterophyllum, *Wall.*
 Lycotenum, *L.*
 palmatum, *D. Don.*
 reclinatum, *A. Gray.*

Aconitum, cont.

Napellus, L.
uncinatum, L.

Actea spicata, L. var. arguta,
Torr.

Actinomeris squarrosa, Nutt.

Adenophora stricta, Miq.

Adesmia muricata, DC.

Adonis aestivalis, L.
autumnalis, L.
pyrenaica, DC.

Aethionema cappadocicum,
Spreng.
cordatum, Boiss.
coridifolium, DC.
grandiflorum, Boiss.
saxatile, R. Br.

Agrimonia Eupatoria, L.
leucantha, Kunze.
odorata, Mill.

Agropyron acutum, Roem. &
Schult.
caninum, Beauv.
cristatum, Gaertn.
dasyanthum, Ledeb.
desertorum, Schult.
repens, Beauv.
Richardsoni, Schrad.
tenerum, Vasey.
villosum, Link.

Agrostis alba, L.
nebulosa, Boiss. & Reut.
vulgaris, With.

Aira agrostiidea, Lois.

Aizoon quadrifidum, F. Muell.

Ajuga reptans, L.

Alchemilla alpina, L.
arvensis, Scop.
conjuncta, Bab.
splendens, Christ.
vulgaris, L.

Alisma Plantago, L.

Allium acuminatum, Hook.

angulosum, L.
atropurpureum, Waldst. &
Kit.

Bidwilliæ, S. Wats.

cardiostemon, Fisch. & Mey.
carinatum, L.

Cydnî, Schott & Kotschy.
fistulosum, L.

giganteum, Regel.

globosum, Red. var. albi-
dum.

hirtifolium, Boiss.

hymenorrhizum, Ledeb.

karataviense, Regel.

Kesselringii, Regel.

margaritaceum, Sibth. & Sm.

montanum, F. W. Schm.

narcissiflorum, Vill.

nigrum, L.

nœanum, Reut.

odorum, L.

oreophilum, C. A. Mey.

orientale, Boiss.

parciflorum, Vir.

platycaule, S. Wats.

polyphyllum, Kar. & Kir.

Porrum, L.

pulchellum, D. Don.

Schoenoprasum, L.

— *var. sibiricum, (L.).*

Schuberti, Zucc.

scorzoneraefolium, Red.

senescens, L.

sphaerocephalum, L.

stipitatum, Regel.

subvillosum, Salzm.

Suworowi, Regel.

triquetrum, L.

ursinum, L.

Alonsoa Warscewiczii, Regel.

Alopecurus geniculatus, L.
pratensis, L.

Alstroemeria aurea, R. Grah.

Althaea armeniaca, Tenore.

cannabina, L.

— *var. narbonensis, Pourr.*

ficifolia, Cav.

kurdica, Schlecht.

Ludwigii, L.

officinalis, L.

pallida, Waldst. & Kit.

Althaea, cont.

- pontica*, *Benth. & Hook. f.*
rosea, *Cav.*
sulphurea, *Boiss. & Hohen.*
tauriniensis, *DC.*

Alyssum argenteum, *Vitm.*

- corymbosum*, *Boiss.*
creticum, *L.*
gemonense, *L.*
incanum, *L.*
maritimum, *Lam.*
minimum, *Willd.*
podolicum, *Bess.*
pyrenaicum, *Lap.*
rostratum, *Stev.*
saxatile, *L.*
Wierzbickii, *Heuffl.*

Amaranthus caudatus, *L.*

- hypochondriacus*, *L.*
polygamus, *L.*
retroflexus, *L.*
speciosus, *Sims.*

Amethystea caerulea, *L.**Ammi majus*, *L.**Ammobium alatum*, *R. Br.**Ammophila arundinacea*, *Host.**Amsonia Tabernaemontana*,
*Walt.**Anacyclus Pyrethrum*, *DC.*
radiatus, *Loisel.**Anagallis arvensis*, *L.*
linifolia, *L.**Anaphalis nubigena*, *DC.**Anastatica hierochuntica*, *L.**Anchusa italica*, *Retz.*
officinalis, *L.**Andropogon cirratus*, *Hack.*
provincialis, *Lam.**Androsace filiformis*, *Retz.*
lactiflora, *Fisch.**Andryala varia*, *Lowe.* var.
*aprica.**Anemone alpina*, *L.*
blanda, *Schott. & Kotsch.*
Halleri, *All.**Anemone, cont.*

- Hepatica*, *L.*
hortensis, *L.*
narcissiflora, *L.*
nemorosa, *L.*
parviflora, *Michx.*
pennsylvanica, *L.*
rivularis, *Buch-Ham.*
sulphurea, *L.*
sylvestris, *L.*
virginiana, *L.*
vitifolia, *Buchan.*

Anoda hastata, *Cav.*

Wrightii, *A. Gray.*

Antennaria dioica, *Gaertn.* var.
tomentosa, *Hort.**Anthemis aetnensis*, *Schouw.*

- arvensis*, *L.*
Cotula, *L.*
cupaniana, *Tod.*
nobilis, *L.*
 — var. *discoidalis*, *Hort.*
styriaca, *Vest.*
tinctoria, *L.*

Anthericum Liliago, *L.*

- var. *algeriense*, *B. & R.*
ramosum, *L.*

Anthoxanthum odoratum, *L.*
Puelii, *Lecoq. & Lamotte.**Anthriscus sylvestris*, *Hoffm.**Anthyllis sericea*, *Lag.*
Vulneraria, *L.**Antirrhinum Asarina*, *L.*
majus, *L.*
Orontium, *L.**Apera interrupta*, *Beauv.*
Spica-venti, *Beauv.**Aplopappus rubiginosus*, *Torr.*
*& Gray.**Aquilegia canadensis*, *L.*
chrysantha, *A. Gray.*
caerulea, *James.*
einseliana, *F. Schultz.*
— var. *Bertolonii*, (*Schott*).
formosa, *Fisch.*
glandulosa, *Fisch.*
— var. *jucunda*, *Fisch. & Lallemand.*

Aquilegia, cont.

- olympica, Boiss.*
thalictrifolia, Schott & Kotschy.
vulgaris, L.
 — var. *atrata, (Koch).*

Arabis albida, Stev.

- alpina, L.*
arenosa, Scop.
bellidifolia, L.
hirsuta, Scop.
Holboellii, Hornem.
pumila, Jacq.
Stelleri, DC. var. japonica.

Aralia cachemirica, Decne.

- cordata, Thunb.*
racemosa, L.

Archangelica littoralis, Agardh.

- officinalis, Hoffm.*

Arctium majus, Bernh.

- minus, Bernh.*

Arenaria aretioides, Portenschl.

- balearica, L.*
Bauhinorum, Benth. & Hook. f.
capillaris, Poir.
fasciculata, Gouan.
gothica, Fries.
graminifolia, Schrad.
 — var. *multiflora.*
gypsophiloides, L.
laricifolia, L.
pinifolia, Bieb.
serpyllifolia, L.

Argemone grandiflora, Sweet.

- hispida, A. Gray.*
mexicana, L.

*Arisarum proboscideum, Savi.**Armeria argyrocephala, Wallr.*

- berlingensis, Daveau.*
majellensis, Boiss.
plantaginea, Willd.
pungens, Hoffmgg. & Lk.
Welwitschii, Boiss.

Arnica longifolia, Eaton.

- montana, L.*
sachalinensis, A. Gray.

*Arnoseris pusilla, Gaertn.**Artemisia Absinthium, L.*

- annua, L.*
campestris, L.
camphorata, Vill.
dracunculoides, Pursh.
lanata, Willd.
ludoviciana, Nutt.
paniculata, Lam.
parviflora, Buch-Ham.
pectinata, Pall.
rupestris, L.
scoparia, Waldst. & Kit.
sieversiana, Ehrh.

*Arum italicum, Mill.**Asarum europaeum, L.*

- Hartwegii, S. Wats.*

*Asparagus officinalis, L.**Asperella Hystrix, Willd.**Asperula azurea, Jaub. & Spach.*

- cynanchica, L.*
galioides, Bieb.
longiflora, Waldst. & Kit.
taurina, L.
tinctoria, L.

Asphodeline liburnica, Reichb.

- lutea, Reichb.*

Asphodelus albus, Willd.

- fistulosus, L.*
ramosus, L.

Aster alpinus, L.

- acris, L. var. punctata.*
acuminatus, Michx.
altaicus, Willd.
Amellus, L.
angustus, Torr. & Gray.
corymbosus, Ait.
dahuricus, Benth.
Herveyi, A. Gray.
laevis, L.
lindleyanus, Torr. & Gray.
longifolius, Lam.
macrophyllus, L.
nanshanicus, Winkl.
Porteri, A. Gray.
ptarmicoides, Torr. & Gray.
puniceus, L.
 — var. *lucidulus, A. Gray.*

Aster, *cont.*

- pyrenaicus, *DC.*
 Radula, *Ait.*
 scaber, *Thunb.*
 Shortii, *Lindl.*
 sibiricus, *L.*
 spectabilis, *Ait.*
 tanacetifolius, *H. B. & K.*
 tardiflorus, *L.*
 trinervis, *Desf.*
 Tripolium, *L.*
 umbellatus, *Mill.*
 VahlII, *Hook. & Arn.*

Asterolinum stellatum, *Hoffmagg.*
 & *Lk.*

Astilbe rivularis, *Buch-Ham.*
 Thunbergii, *Miq.*

Astragalus alopecuroides, *L.*
 alpinus, *L.*
 boeticus, *L.*
 caryocarpus, *Ker-Gawl.*
 chinensis, *L.*
 chlorostachys, *Lindl.*
 Cicer, *L.*
 danicus, *Retz.*
 frigidus, *A. Gray.*
 glycyphyllus, *L.*
 kahiricus, *DC.*
 maximus, *Willd.*
 pentaglottis, *L.*
 ponticus, *Pall.*
 tomentosus, *Lam.*
 xiphocarpus, *Benth.*

Astrantia Biebersteinii, *Fisch. & Mey.*
 major, *L.*
 — var. carinthiaca, (*Hoppe*).

Astrebla pectinata, *F. Muell.*
 triticoides, *F. Muell.*

Athamanta Matthioli, *Wulf.*

Atriplex hastata, *L.*
 hortensis, *L.*
 littoralis, *L.*
 rosea, *L.*
 sibirica, *L.*

Atropa Belladonna, *L.*
 — var. acuminata, (*Royle*).

Aubrietia deltoidea, *DC.*
 erubescens, *Griseb.*
 Pinardi, *Boiss.*

Avena pratensis, *L.*
 strigosa, *Schreb.*

Baeria coronaria, *A. Gray.*
 gracilis, *A. Gray.*

Ballota hispanica, *Benth.*

Baptisia australis, *R. Br.*

Barbarea intermedia, *Bor.*
 praecox, *R. Br.*
 vulgaris, *R. Br.*

Basella rubra, *L.*

Beckmannia erucaeformis, *Host.*

Berkheya Adlami, *Hook. f.*
 „ purpurea, *Benth. & Hook. f.*

Beta maritima, *L.*
 trigyna, *Waldst. & Kit.*

Bidens cernua, *L.*
 grandiflora, *Balb.*
 leucantha, *Willd.*
 tripartita, *L.*

Biscutella auriculata, *L.*
 ciliata, *DC.*
 didyma, *L.*

Bloomeria aurea, *Kellogg.*

Blumenbachia insignis, *Schrad.*

Bocconia cordata, *Willd.*
 microcarpa, *Maxim.*

Boltonia asteroides, *L'Hérit.*
 incisa, *Benth.*
 indica, *Benth.*

Borago officinalis, *L.*

Bouteloua oligostachya, *Torr.*

Brachycome iberidifolia, *Benth.*

Brachypodium distachyum,
Beauv.
 pinnatum, *Beauv.*
 sylvaticum, *R. & S.*

- Brassica campestris*, *L.*
 — var. *chinensis*, (*L.*).
 — var. *glauca*.
Cheiranthos, *Vill.*
Erucastrum, *L.*
junceae, *Coss.*
nigra, *Koch.*
oleracea, *L.*
- Brevoortia Ida-Maia*, *Wood.*
- Briza media*, *L.*
- Brodiaea Bridgesii*, *S. Wats.*
capitata, *Benth.*
californica, *Lindl.*
grandiflora, *Smith.*
Hendersoni, *S. Wats.*
ixioides, *S. Wats.*
lactea, *S. Wats.*
multiflora, *Benth.*
uniflora, *Baker.*
- Bromus adoënsis*, *Hochst.*
breviaristatus, *Buckl.*
brizaeformis, *Fisch. & Mey*
carinatus, *Hook. & Arn.*
ciliatus, *L.*
erectus, *Huds.*
inermis, *Leyss.*
Kalmii, *A. Gray.*
macrostachys, *Desf.*
madritensis, *L.*
maximus, *Desf.*
mollis, *L.*
racemosus, *L.*
rubens, *L.*
sterilis, *L.*
Tacna, *Steud.*
tectorum, *L.*
unioloides, *H. B. & K.*
- Browallia viscosa*, *H. B. & K.*
- Bryonia dioica*, *Jacq.*
- Bulbine annua*, *Willd.*
- Bulbinella Hookeri*, *Benth. & Hook. f.*
 — var. *latifolia*.
- Bunias Erucago*, *L.*
orientalis, *L.*
- Bupthalmum salicifolium*, *L.*
speciosum, *Schreb.*
- Bupleurum aristatum*, *Bartl.*
aureum, *Fisch.*
Candollei, *Wall.*
gracile, *DC.*
protractum, *Hoffmngg. & Lk.*
rotundifolium, *L.*
stellatum, *L.*
- Butomus umbellatus*, *L.*
- Caccinia strigosa*, *Boiss.*
- Cakile maritima*, *Scop.*
- Calamagrostis confinis*, *Nutt.*
epigeios, *Roth.*
varia, *Beauv.*
- Calamintha Acinos*, *Clairv.*
alpina, *Lam.*
Clinopodium, *Benth.*
grandiflora, *Moench.*
officinalis, *Moench.*
- Calandrinia grandiflora*, *Lindl.*
Menziesii, *Torr. & Gray.*
pilosiuscula, *DC.*
- Calceolaria mexicana*, *Benth.*
- Calendula arvensis*, *L.*
microphylla, *Lange.*
nöeana, *Boiss.*
officinalis, *L.*
suffruticosa, *Vahl.*
- Callirhoe pedata*, *A. Gray.*
- Callistephus hortensis*, *Cass.*
- Calotis cuneifolia*, *R. Br.*
- Caltha biflora*, *DC.*
polypetala, *Hochst.*
- Calystegia silvatica*, *Choisy.*
- Camassia Cusickii*, *S. Wats.*
esculenta, *Lindl.*
Fraseri, *Torr.*
Leichtlini, *S. Wats.*
- Camelina sativa*, *Crantz.*
- Campanula alliariaefolia*, *Willd.*
barbata, *L.*
bononiensis, *L.*
carpatia, *Jacq.*
 — var. *pelviformis*, *Hort.*
cervicaria, *L.*

Campanula, cont.

- collina, Bieb.*
- colorata, Wall.*
- drabaefolia, Sibth. & Sm.*
- Erinus, L.*
- glomerata, L.*
- var. *dahurica.*
- lactiflora, Bieb.*
- latifolia, L.*
- var. *macrantha, (Fisch.).*
- var. *versicolor, (Sibth. & Sm.).*
- Medium, L.*
- persicifolia, L.*
- pusilla, Haenke.*
- pyramidalis, L.*
- ramosissima, Sibth. & Sm.*
- rapunculoides, L.*
- reuteriana, Boiss. & Bal.*
- rotundifolia, L.*
- sarmatica, Ker.*
- Scheuchzeri, Vill.*
- sibirica, L.*
- var. *divergens, (Willd.).*
- spicata, L.*
- Steveni, Bieb.*
- thyrsoides, L.*
- Trachelium, L.*

Cannabis sativa, L.

Carbenia benedicta, Adans.

Cardamine carnosa, Waldst. & Kit.
chenopodifolia, Pers.
Impatiens, L.

Carduus crispus, L.
defloratus, L.
niveus, Benth.
nutans, L.
pycnocephalus, Jacq.
stenolepis, Benth.

Carex alopecoidea, Tuckerm.
aquatis, Wahlb.
axillaris, Good.
binervis, Sm.
crinita, Lam.
decomposita, Muhl.
depauperata, Good.
divulsa, Good.
flava, L.
 — var. *lepidocarpa, (Tausch).*

Carex, cont.

- var. *Oederi, (Ehrh.).*
- fusca, All.*
- Grayii, Carey.*
- grisea, Wahlenb.*
- hirta, L.*
- hordeistichos, Vill.*
- leporina, L.*
- longirostris, Torr.*
- Novae-Selandiae, Boeck.*
- paniculata, L.*
- remota, L.*
- sparganioides, Muhl.*
- stellulata, Good.*
- straminea, Willd.*
- strigosa, Huds.*
- sylvatica, Huds.*
- tenella, Schkuhr.*
- teretiuscula, Good.*
- testacea, Sol. var. attenuata.*
- tomentosa, L.*
- tribuloides, Wahlenb.*
- Vilmorini, Mottet.*
- vulpina, L.*
- vulpinoidea, Michx.*

Carlina acanthifolia, All.
acaulis, L.

Carthamus flavescens, Willd.
lanatus, L.
tinctorius, L.

Carum buriaticum, Turcz.
Carvi, L.
copticum, Benth. & Hook. f.
Petroselinum, Benth. & Hook. f.

Catabrosa aquatica, Beauv.

Catananche caerulea, L.
lutea, L.

Cedronella mexicana, Benth. var.
cana, Hook.

Celsia betonicaefolia, Desf.
Daenzeri, Fauché & Chaub.
heterophylla, Desf.
orientalis, L.
pontica, Boiss.

Cenchrus tribuloides, L.

Cenia turbinata, Pers.

Centaurea americana, Nutt.

Cineraria, L.

Clementei, Boiss.

Crocodylium, L.

Cyanus, L.

cynaroides, Link.

dealbata, Willd.

diluta, Dryand.

eriphora, L.

Fontanesii, Spach.

iberica, Trev.

Jacea, L.

lugdunensis, Jord.

melitensis, L.

montana, L.

nigra, L.

nigrescens, Willd.

— var. *vochinensis* (Bernh.).

pulchra, DC.

ruthenica, Lam.

salmantica, L.

Scabiosa, L.

— var. *oliveriana*, DC.

valesiaca, Jord.

Verutum, L.

Centranthus Calcitrapa, Dufr.

macrostemon, Boiss.

ruber, DC.

Cephalaria alpina, Schrad.

leucantha, Schrad.

radiata, Griseb. & Schenk.

syriaca, Schrad.

tatarica, Schrad.

transsylvanica, L.

Cerastium alpinum, L. var. *lan-*
atum, (Lam.).

arvense, L.

Boissieri, Gren.

macranthum, Boiss.

perfoliatum, L.

purpurascens, Adams.

tomentosum, L.

Cerinthe alpina, Kit.

major, L.

retorta, Sibth. & Sm.

Chaenostoma foetidum, Benth.

Chaerophyllum aromaticum, L.

aureum, L.

nodosum, Crantz.

Charieis heterophylla, Cass.

Cheiranthus Cheiri, L.

Chelidonium franchetianum,
Prain.

majus, L.

— var. *laciniatum*.

Chelone Lyoni, Pursh.

nemorosa, Dougl.

Chenopodium ambrosoides, L.

Bonus-Henricus, L.

Botrys, L.

ficifolium, Sm.

foetidum, Schrad.

graveolens, Willd.

polyspermum, L.

Quinoa, Willd.

urbicum, L.

virgatum, Thunb.

Vulvaria, L.

Chionodoxa Luciliae, Boiss.

— var. *sardensis*.

Chlora perfoliata, L.

Chlorogalum pomeridianum,
Kunth.

Chorispora tenella, DC.

Chrysanthemum anserinae-
folium, Hausskn. &
Bornm.

Balsamita, L.

carinatum, Schousb.

carneum, Steud.

caucasicum, Pers.

cinerariaefolium, Vis.

coronarium, L.

corymbosum, L.

lacustre, Brot.

macrophyllum, Waldst. &
Kit.

multicaule, Desf.

Myconis, L.

pallens, J. Gay.

Parthenium, Bernh.

segetum, L.

setabense, Dufour.

uliginosum, Pers.

viscosum, Desf.

- Chrysopogon Gryllus, Trin.*
Cicer arietinum, L.
Cichorium Intybus, L.
Cicuta virosa, L.
Cimicifuga cordifolia, Pursh.
racemosa, Nutt.
Circaea lutetiana, L.
Cladium Mariscus, Br.
Clarkia elegans, Dougl.
pulchella, Pursh.
rhomboidea, Dougl.
Claytonia perfoliata, Donn.
sibirica, L.
Clematis recta, L.
integrifolia, L.
Cleome violacea, L.
Cleonia lusitanica, L.
Clintonia borealis, Rafin.
umbellata, Torr.
uniflora, Kunth.
Clypeola cyclodonteia, Delile.
Cnicus Acarna, L.
arachnoideus, Bieb.
canus, Roth.
conspicuus, Hemsl.
Diacantha, Desf.
eriophorus, Roth.
lanceolatus, Willd.
ligularis, Hort. Kew.
ochroleucus, Spreng.
oleraceus, L.
serrulatus, Bieb.
spathulatus, (Moretti).
syriacus, Roth.
tataricus, Willd.
Cnidium serbicum, Janka.
Cochlearia alpina, Wats.
danica, L.
glastifolia, L.
Codonopsis rotundifolia, Royle.
viridiflora, Maxim.
Coix Lacryma-Jobi, L.
Collinsia bartsiaefolia, Benth.
bicolor, Benth.
grandiflora, Dougl.
Parryi, A. Gray.
sparsiflora, Fisch. & Mey.
Torreyi, A. Gray.
verna, Nutt.
Collomia coccinea, Lehm.
gilioides, Benth.
grandiflora, Dougl.
linearis, Nutt.
Conium maculatum, L.
Conringia orientalis, Dum.
Convolvulus californicus,
Choisy.
siculus, L.
tricolor, L.
undulatus, Cav.
Coreopsis abyssinica, Sch. Bip.
auriculata, L.
Drummondi, Torr. & Gray.
grandiflora, Nutt.
senifolia, Michx.
tinctoria, Nutt.
Coriandrum sativum, L.
Corispermum hyssopifolium, L.
Cornucopie cucullatum, L.
Coronilla coronata, L.
cretica, L.
elegans, Panč.
scorpioides, Koch.
vaginalis, Lam.
varia, L.
Corrigiola littoralis, L.
Corydalis capnoides, Wahlenb.
claviculata, DC.
glauca, Pursh.
lutea, DC.
racemosa, Pers.
Corynephorus canescens, Beauv.
Cosmos bipinnatus, Cav.
Cotula coronopifolia, L.

Cousinia Hystrix, *C. A. Mey.*

Crambe cordifolia, *Stev.*

hispanica, *L.*

maritima, *L.*

orientale, *L.*

pinnatifida, *R. Br.*

Crassula glomerata, *Berg.*

Crepis alpina, *L.*

blattarioides, *Vill.*

Candollei, *Sch. Bip.*

foetida, *L.*

paludosa, *Moench.*

rubra, *L.*

setosa, *Hall. f.*

sibirica, *L.*

taraxacifolia, *Thuill.*

virens, *L.*

Crithmum maritimum, *L.*

Crocus asturicus, *Herb.*

Balansae, *F. Gay.*

biflorus, *Mill.*

cancellatus, *Herb.* var. *cili-*
cicus, *Maw.*

chrysanthus, *Herb.*

dalmaticus, *Vis.*

hadriaticus, *Herb.*

— var. *chrysobelonicus*,
Herb.

longiflorus, *Rafin.*

Malyi, *Vis.*

nudiflorus, *Sm.*

pulchellus, *Herb.*

Sieberi, *Gay.*

susianus, *Ker-Gawl.*

tommasinianus, *Herb.*

vernus, *All.*

zonatus, *Gay.*

Crucianella aegyptiaca, *L.*

Crupina vulgaris, *Cass.*

Cryptostemma calendulaceum,
R.Br.

Cucubalus bacciferus, *L.*

Cucurbita Pepo, *L.*

Cuminum Cyminum, *L.*

Cuphea lanceolata, *Ait.*

Llavea, *Lindl.*

procumbens, *Cav.*

Zimapani, *Morr.*

Cuscuta Epilinum, *Weihe.*

Cyclamen neapolitanum, *Tenore.*

Cynara Cardunculus, *L.*

Cypripedium spectabile, *Salisb.*

Cynoglossum furcatum, *Wall.*

officinale, *L.*

petiolatum, *A. DC.*

Cynosurus cristatus, *L.*

echinatus, *L.*

Cyperus longus, *L.*

rotundus, *L.*

vegetus, *Willd.*

Dactylis glomerata, *L.*

Dahlia coccinea, *Cav.*

scapigera, *Knowles & West-*
cott.

Dalea Lagopus, *Willd.*

Datisca cannabina, *L.*

Datura Stramonium, *L.*

Tatula, *L.*

Daucus Carota, *L.*

gummifer, *Lan.*

setulosus, *Guss.*

Delphinium Ajacis, *Reichb.*

brunonianum, *Royle.*

cashmirianum, *Royle.*

caucasicum, *C. A. Mey.*

decorum, *Fisch. & Mey.*

dictyocarpum, *DC.*

elatum, *L.*

grandiflorum, *L.*

hybridum, *Steph.*

maackianum, *Regel.*

orientale, *J. Gay.*

palmatifidum, *DC.*

pictum, *Willd.*

Requienii, *DC.*

speciosum, *Bieb.*

— var. *turkestanicum.*

Staphisagria, *L.*

tatsienense, *Franch.*

Demazeria loliacea, *Nym.*
sicula, *Dum.*

Deschampsia caespitosa, *Beauv.*

Desmodium canadense, *DC.*

Dianthus arenarius, *L.*

Armeria, *L.*

atrorubens, *All.*

caesius, *Sm.*

chinensis, *L.*

ciliatus, *Guss.*

cruentus, *Griseb.*

furcatus, *Balb.*

giganteus, *Urv.*

hirtus, *Vill.*

monspessulanus, *L.*

neglectus, *Lois.*

noeanus, *Boiss.*

petraeus, *Waldst. & Kit.*

pinifolius, *Sibth. & Sm.*

plumarius, *L.*

— var. *serotinus*, *Waldst. & Kit.*

pungens, *L.*

Requienii, *Gren. & Godr.*

Seguieri, *Vill.*

squarrosus, *Bieb.*

superbus, *L.*

sylvestris, *Wulf.*

tener, *Balb.*

Waldsteinii, *Sternb.*

Diarrhena americana, *Beauv.*

Dicentra eximia, *Torr.*

Dictamnus albus, *L.*

Digitalis ambigua, *Murr.*

lutea, *L.*

media, *Roth.*

purpurea, *L.*

Thapsi, *L.*

Dimorphotheca annua, *Less.*

hybrida, *DC.*

pluvialis, *Moench.*

Diotis candidissima, *Desf.*

Dipcadi serotinum, *Medic.*

Plotaxis tenuifolia, *DC.*

Dispacus asper, *Wall.*

ferox, *Loisel.*

laciniatus, *L.*

plumosus, *Franch.*

sylvestris, *Mill.*

Dischisma spicatum, *Chois.*

Doronicum scorpioides, *Lam.*

Dorycnium herbaceum, *Vill.*

rectum, *Ser.*

Downingia elegans, *Torr.*

pulchella, *Torr.*

Draba aizoides, *L.*

Aizoon, *Wahlenb.*

alpina, *L.*

altaica, *Led.*

aurea, *Vahl.*

hirta, *L.*

incana, *L.*

muralis, *L.*

stellata, *Jacq.*

tomentosa, *Wahlenb.*

— var. *frigida*, *Nym.*

Dracocephalum Moldavica, *L.*

parviflorum, *Nutt.*

peregrinum, *L.*

Dryas octopetala, *L.*

Drymaria cordata, *Willd.*

Drypis spinosa, *L.*

Dulichium spathaceum,
Richards.

Ecballium Elaterium, *A. Rich.*

Eccremocarpus scaber, *Ruiz & Pav.*

Echinaria capitata, *Desf.*

Echinodorus ranunculoides, *Engelm.*

Echinops bannaticus, *Rochel.*

globifer, *Janka.*

microcephalus, *Sibth. & Sm.*

niveus, *Wall.*

sphaerocephalus, *L.*

— var. *albidus*, (*Boiss. & Sprun.*).

Echium rosulatum, *Lange*.
vulgare, *L*.

Eleusine coracana, *Gaertn*.
aegyptiaca, *Desf*.
stricta, *Roxb*.

Elsholtzia cristata, *Willd*.

Elymus arenarius, *L*.
canadensis, *L*.
dasystachya, *J. & C. Presl*.
giganteus, *Vahl*.
sibiricus, *L*.
virginicus, *L*.

Emilia flammea, *Cass*.

Enarthrocarpus lyratus, *DC*.

Encelia calva, *A. Gray*.

Epilobium alpinum, *L*.
angustifolium, *L*.
billardierianum, *Ser*.
Dodonaei, *Vill*.
glabellum, *Forst*.
hirsutum, *L*.
Lamyi, *Schultz*.
linnaeoides, *Hook. f*.
luteum, *Pursh*.
melanocaulon, *Hook*.
montanum, *L*.
nummularifolium, *A. Cunn*.
roseum, *Schreb*.
rosmarinifolium, *Haenke*.
tetragonum, *L*.

Epipactis palustris, *L*.

Eragrostis Brownei, *Nees*.
minor, *Host*.
pectinacea, *Nees*.
Purshii, *Schrad*.

Eranthis hyemalis, *Salisb*.

Eremostachys laciniata, *Bunge*.

Eremurus altaicus, *Stev*.
spectabilis, *Bieb*.

Erigeron alpinus, *L*.
aurantiacus, *Regel*.
bellidifolius, *Muhl*.
compositus, *Pursh*.

Erigeron, *cont*.
glabellus, *Nutt*.
— var. asper.
macranthus, *Nutt*.
mucronatus, *DC*.
multiradiatus, *Benth. & Hook. f*.
strigosus, *Muhl*.
uniflorus, *L*.

Erinus alpinus, *L*.

Eriophorum vaginatum, *L*.

Eriophyllum confertiflorum, *A. Gray*.

Erodium chium, *Willd*.
ciconium, *Willd*.
cicutarium, *L'Hérit*.
gruinum, *Soland*.
hymenodes, *L'Hérit*.
macradenum, *L'Hérit*.
malacoides, *Willd*.
Manescavi, *Coss*.
moschatum, *L'Hérit*.
Semenowi, *Regel*.
tmoleum, *Reut*.
trichomanefolium, *L'Hérit*.

Eruca sativa, *Mill*.

Eryngium alpinum, *L*.
amethystinum, *L*.
Bourgati, *Gouan*.
bromeliaefolium, *Delar*.
campestre, *L*.
dichotomum, *Desf*.
ebracteatum, *Lam*.
giganteum, *Bieb*.
maritimum, *L*.
oliverianum, *Delar*.
paniculatum, *Cav. & Dombey*.
planum, *L*.
Serra, *Cham. & Schlecht*.
spinalba, *Vill*.
Vaseyi, *Coult. & Ros.*
vesiculosum, *Labill*.

Erysimum asperum, *DC*.
— var. arkansanum, *A. Gray*.
boryanum, *Boiss*.
hieracifolium, *L*.
perowskianum, *Fisch. & Mey*.

Erythraea Centaurium, Pers.
 linariifolia, Pers.
 ramosissima, Pers.

Eschscholzia californica, Cham.
 glauca, Greene.
 tenuifolia, Benth.

Eucharidium Breweri, A. Gray.
 concinnum, Fisch. & Mey.

Eupatorium ageratoides, L.
 cannabinum, L.
 purpureum, L.

Euphorbia altissima, Boiss.
 coralloides, L.
 dentata, Michx.
 Esula, L.
 exigua, L.
 Lagascae, Spreng.
 Lathyris, L.
 Myrsinites, L.
 Peplus, L.
 pilosa, L.
 platyphyllos, L.
 portlandica, L.
 segetalis, L.
 tinctoria, Boiss. & Huet.
 virgata, Waldst. & Kit.

Fagonia cretica, L.

Fagopyrum esculentum,
 Moench.

Fedia Cornucopiae, Gaertn.

Felicia abyssinica, Sch. Bip.
 fragilis, Cass.

Ferula communis, L.
 Ferulago, L.
 glauca, L.
 jaeschkeana, Vatke.
 nodiflora, L.
 syriaca, Hort.
 tingitana, L.

Festuca arundinacea, Vill.
 bromoides, L.
 capillifolia, Dufour.
 duriuscula, L.
 elatior, L.
 — var. *pratensis*, (Huds.).
 Eskia, Ram.

Festuca, cont.
 gigantea, Vill.
 heterophylla, Lam.
 Myuros, L.
 Poa, Kunth.
 rigida, Kunth.
 scoparia, Kern.
 unilaterale, Schrad.

Foeniculum vulgare, Mill.

Fragaria indica, Andr.

Fritillaria acmopetala, Boiss.
 armena, Boiss.
 aurea, Schott.
 delphinensis, Gren. var.
 Moggridgei, Boiss.
 imperialis, L.
 Meleagris, L.
 pluriflora, Torr.
 tenella, Bieb.
 — var. *orsiniana*, Parl.

Fumaria capreolata, L.
 officinalis, L.
 Vaillantii, Loisel. var. *Lag-
 geri*.

Funkia caerulea, Sweet.
 ovata, Spreng.
 sieboldiana, Hook.

Gaillardia aristata, Pursh.
 lanceolata, Michaux.
 pulchella, Foug.

Galanthus Elwesii, Hook. f.
 nivalis, L.

Galega officinalis, L.
 orientalis, Lam.

Galeopsis ochroleuca, Lam.
 pyrenaica, Bartl.

Galinsoga brachystephana,
 Regel.
 parviflora, Cav.

Galium Aparine, L.
 boreale, L.
 Mollugo, L.
 recurvum, Req.
 tenuissimum, Bieb.
 tricornis, Stokes.

Gastridium australe, *Beauv.*

Gaudinia fragilis, *Beauv.*

Gaura Lindheimeri, *Engelm. & Gray.*
parviflora, *Dougl.*

Gentiana Andrewsii, *Griseb.*
asclepiadea, *L.*
cruciata, *L.*
decumbens, *L.*
lutea, *L.*
septemfida, *Pall.*
tibetica, *King.*

Geranium albanum, *Bieb.*
anemonaefolium, *L'Hérit.*
armenum, *Boiss.*
bohemicum, *L.*
collinum, *Steph.*
Endressi, *Gay.*
incisum, *Nutt.*
lucidum, *L.*
palustre, *L.*
pratense, *L.*
pusillum, *Burm. f.*
Richardsoni, *Fisch. & Trautv.*
rivulare, *Vill.*
robertianum, *L.*
rotundifolium, *L.*
sanguineum, *L.*
— var. *lancastriense*, (*Mill.*).
sylvaticum, *L.*
Wilfordi, *Maxim.*

Gerbera kunzeana, *A. Br. & Asch.*

Geum chilense, *Balb.*
coccineum, *Sibth. & Sm.*
macrophyllum, *Willd.*
montanum, *L.*
parviflorum, *Sm.*
pyrenaicum, *Mill.*
rivale, *L.*
strictum, *Ait.*
urbanum, *L.*

Gilia achilleaefolia, *Benth.*
androsacea, *Steud.*
capitata, *Sims.*
densiflora, *Benth.*
dianthoides, *Endl.*
laciniata, *Ruiz & Pav.*

Gilia, *cont.*

liniflora, *Benth.*
micrantha, *Steud.*
multicaulis, *Benth.*
squarrosa, *Hook. & Arn.*
tricolor, *Benth.*

Gillenia trifoliata, *Moench.*

Gladiolus illyricus, *Koch.*

Glaucium corniculatum, *Curt.*
flavum, *Crantz.* var.
fulvum, (*Sm.*)
leptopodium, *Maxim.*

Glyceria distans, *Wahlenb.*

Glycine Soja, *Sieb. & Zucc.*

Glycyrrhiza echinata, *L.*
foetida, *Desf.*
lepidota, *Pursh.*

Gnaphalium indicum, *L.*
luteo-album, *L.*

Gratiola officinalis, *L.*

Grindelia inuloides, *Willd.*

Guizotia abyssinica, *Cass.*

Gunnera manicata, *Linden.*

Gypsophila anatolica, *Boiss. & Heldr.*
paniculata, *L.*
Rokejeka, *Delile.*

Hablitzia tamnoides, *Bieb.*

Halenia elliptica, *D. Don.*

Hastingia alba, *S. Wats.*

Hebenstreitia comosa, *Hochst.*
tenuifolia, *Schrad.*

Hedysarum boreale, *Nutt.*
coronarium, *L.*
elongatum, *Fisch.*
esculentum, *Ledeb.*
microcalyx, *Baker.*
neglectum, *Ledeb.*
obscurum, *L.*

Helenium Bigelovii, *A. Gray.*
quadridentatum, *Labill.*
tenuifolium, *Nutt.*

Helianthella quinquenervis,
A. Gray.
uniflora, Torr. & Gray.

Helianthemum salicifolium,
Mill.
villosum, Thib.
vulgare, Gaertn.

Helianthus annuus, L.
argophyllus, Torr. & Gray.
debilis, Nutt.
decapetalus, L.
exilis, A. Gray.
giganteus, L.
mollis, Lam.
Nuttallii, Torr. & Gray.
rigidus, Desf.

Helichrysum bracteatum,
Andr.

Heliophila amplexicaulis, L. f.

Heliopsis laevis, Pers.
pitcheriana, Hort.

Heliotropium europaeum, L.

Helipterum floribundum, DC.
humboldtianum, DC.
Manglesii, F. Muell.
microglossum, Tate.
polygalifolium, DC.
roseum, Benth.
Troedeli, F. Muell.

Helleborus colchicus, Regel.
orientalis, Lam.

Helonias bullata, L.

Hemerocallis flava, L.
fulva, L.
minor, Mill.
Middendorffii, Trautv. &
Mey.

Heracleum gummiferum, Willd.
lanatum, Michx.
lehmannianum, Bunge.
mantegazzianum, Levier &
Somm.
pyrenaicum, Lam.
Sphondylium, L.
villosum, Fisch.

Herniaria glabra, L.
hirsuta, L.

Hesperis matronalis, L.

Heterospermum pinnatum, Cav.

Heuchera cylindrica, Dougl.
Drummondii, Hort.
glabra, Willd.
pilosissima, Fisch. & Mey.
sanguinea, Engelm.

Hibiscus Trionum, L.

Hieracium aurantiacum, L.
blyttianum, Fries.
bupleuroides, C. C. Gmel.
compositum, Lapeyr.
corymbosum, Fries.
crocatum, Fries.
eximium, Backh.
foliosum, W. K.
glaucum, All.
gracilentum, Backh.
gymnocephalum, Griseb.
Heldreichii, Boiss.
humile, Jacq.
intybaceum, Jacq.
lanatum, Waldst. & Kit.
lactucaefolium, Arr.-Touv.
maculatum, Schrank.
murorum, L. var. integri-
folium, Lange.
norvegicum, Fries.
pallidum, Biv.
pannosum, Boiss.
prenanthoides, Vill.
rigidum, Hartm.
rubrum, Peter.
rupestre, All.
stoloniflorum, Waldst. &
Kit.
umbellatum, L.
villosum, Jacq.
vulgatum, Fries.

Hilaria rigida, Vasey.

Hippocrepis multisiliquosa, L.

Hippuris vulgaris, L.

Holcus lanatus, L.
mollis, L.

Holosteum umbellatum, L.

- Hordeum bulbosum, L.*
ithaburense, Boiss.
maritimum, With.
murinum, L.
- Hosackia purshiana, Benth.*
- Humulus japonicus, Sieb. & Zucc.*
 — var. *variegatus.*
Lupulus, L.
- Hunnemannia fumariaefolia, Sweet.*
- Hutchinsia petraea, R. Br.*
- Hyacinthus amethystinus, L.*
romanus, L.
- Hydrocotyle repanda, Pers.*
vulgaris, L.
- Hydrophyllum appendiculatum, Michx.*
virginicum, L.
- Hyoscyamus muticus, L.*
niger, L.
- Hypocoum grandiflorum, Benth.*
procumbens, L.
- Hypericum erectum, Thunb.*
linarifolium, Vahl.
montanum, L.
olympicum, L.
orientale, L.
perforatum, L.
polyphyllum, Boiss.
pulchrum, L.
pyramidatum, Ait.
quadrangulum, L.
rhodopeum, Friv.
- Hypochoeris aetnensis, Benth & Hook. f.*
glabra, L.
- Hyssopus officinalis, L.*
 — var. *aristatus, (Jord.).*
- Iberis amara, L.*
pectinata, Boiss.
pinnata, Gouan.
umbellata, L.
- Illecebrum verticillatum, L.*
- Impatiens balsamina, L.*
chrysantha, Hook. f.
fulva, Nutt.
parviflora, DC.
Roylei, Walp.
- Incarvillea variabilis, Batalin.*
- Inula barbata, Wall.*
bifrons, L.
britannica, L.
glandulosa, Puschk.
grandiflora, Willd.
Helenium, L.
Oculus-Christi, L.
Roylei, DC.
salicina, L.
thapsoides, Spreng.
- Ionopsidium acaule, Reichb.*
- Ipomoea purpurea, Lam.*
- Iris albopurpurea, Baker.*
aurea, Lindl.
ensata, Thunb.
foetidissima, L.
 — var. *citrina.*
graminea, L.
 — var. *latifolia.*
gultenstaedtiana, Lepech.
 — var. *sogdiana, (Bunge)*
humilis, Bieb.
juncea, Poir.
laevigata, Fisch.
missouriensis, Nutt.
Monnieri, DC.
neglecta, Horn.
orientalis, Mill.
setosa, Pall.
sibirica, L.
 — var. *acuta.*
 — var. *coreana.*
 — var. *orientalis, Baker.*
spuria, L.
 — var. *notha, (Bieb.).*
tenax, Dougl.
xiphioides, Ehrh.
- Isatis glauca, Auch.*
tinctoria, L.
Villarsii, Gaud.
- Isopyrum fumarioides, L.*
- Isotoma axillaris, Lindl.*

Iva xanthifolia, *Nutt.*

Jasione perennis, *Lam.*

Jasonia tuberosa, *L.*

Juncus alpinus, *Vill.*
arcticus, *Willd.*
bufonius, *L.*
Chamissonis, *Kunth.*
compressus, *Jacq.*
conglomeratus, *L.*
effusus, *L.*
glaucus, *Sibth.*
lamprocarpus, *Ehrh.*
maritimus, *Lam.*
squarrosus, *L.*
tenuis, *Willd.*

Jurinea alata, *Cass.*

Kitaibelia vitifolia, *Willd.*

Kniphofia aloides, *Moench.*
corallina, *Hort.*
feliosa, *Hochst.*
Tuckii, *Baker.*

Kochia scoparia, *Schrad.*

Koeleria albescens, *DC.*
cristata, *Pers.*
phleoides, *Pers.*
 — *var. grandiflora*, *Boiss.*

Lactuca brevirostris, *Champ.*
muralis, *E. Mey.*
Plumieri, *Gren. & Godr.*
saligna, *L.*
sativa, *L.*
Scariola, *L.*
virosa, *L.*

Lagenaria vulgaris, *Ser.*

Lallemantia canescens, *Fisch. & Mey.*
iberica, *Fisch. & Mey.*
peltata, *Fisch. & Mey.*

Lamarckia aurea, *Moench.*

Lamium album, *L.*
Galeobdolon, *Crantz.*
purpureum, *L.*

Lapsana communis, *L.*

Laserpitium hispidum, *Bieb.*
latifolium, *L.*

Lasiospermum radiatum,
Trevir.

Lasthenia glabrata, *Lindl.*

Lathraea Squamaria, *L.*

Lathyrus angulatus, *L.*
Aphaca, *L.*
articulatus, *L.*
Cicera, *L.*
cirrhusus, *Ser.*
Clymenum, *L.*
cyaneus, *C. Koch.*
filiformis, *Gay.*
Gorgoni, *Parl.*
latifolius, *L.*
luteus, *Baker. var. aureus*,
(Stev.).
maritimus, *Bigel.*
montanus, *Bernh.*
niger, *Bernh.*
Nissolia, *L.*
Ochrus, *DC.*
odoratus, *L.*
palustris, *L.*
polyanthus, *Boiss. & Blanché.*
polyphyllus, *Nutt.*
rotundifolius, *Willd.*
sativus, *L.*
sphaericus, *Retz.*
sylvestris, *L.*
tingitanus, *L.*
tuberosus, *L.*
undulatus, *Boiss.*
variegatus, *Gren. & Godr.*
venosus, *Muhl.*
vernus, *Bernh.*
violaceus, *Greene.*

Laurentia tenella, *A. DC.*

Lavatera cachemiriana, *Cambess.*
Olbia, *L.*
plebia, *Sims.*
thuringiaca, *L.*
trimestris, *L.*

Layia elegans, *Torr. & Gray.*
glandulosa, *Hook. & Arn.*
platyglossa, *A. Gray.*

Lens esculenta, *Moench.*

- Leontodon asperimus*, Boiss.
 crispus, Vill.
 Ehrenbergii, Hort. Kew.
 hastilis, L.
Leontopodium alpinum, Cass.
Leonurus Cardiaca, L.
 sibiricus, L.
 tataricus, L.
Lepachys columnaris, Torr. &
 Gray.
Lepidium Draba, L.
 graminifolium, L.
 incisum, Roth.
 Menziesii, DC.
 nebrodense, Guss.
 sativum, L.
Leptosyne Bigelovii, A. Gray.
 calliopsidea, A. Gray.
 Douglasii, DC.
 maritima, A. Gray.
Lepturus cylindricus, Trin.
Leuzea conifera, DC.
Levisticum officinale, Koch.
Liatris spicata, Willd.
Ligusticum alatum, Spreng.
 pyrenaicum, Gouan.
 scoticum, L.
 Seguieri, Koch.
Lilium Martagon, L.
 pomponium, L.
 pyrenaicum, Gouan.
Limnanthes alba, Hartw.
 rosea, Hartw.
Linaria albifrons, Spreng.
 alpina, Mill.
 anticaria, Boiss. & Reut.
 bipartita, Willd.
 dalmatica, Mill.
 genistifolia, Mill.
 hirta, Moench.
 maroccana, Hook. f.
 minor, Desf.
 multipunctata, Hoffmgg. &
 Link.
 pelisseriana, Mill.
- Linaria*, cont.
 peloponnesiaca, Boiss. &
 Heldr.
 purpurea, L.
 reticulata, Desf.
 saxatilis, Hoffmgg. & Link.
 spartea, Hoffmgg. & Link.
 striata, DC.
 triornithophora, Willd.
 triphylla, Mill.
 tristis, Mill.
 vulgaris, Mill.
Lindelophia spectabilis, Lehm.
Linum angustifolium, Huds.
 grandiflorum, Desf.
 narbonense, L.
 nervosum, Waldst. & Kit.
 perenne, L.
 usitatissimum, L.
Lippia nodiflora, Michx.
Loasa hispida, L.
 lateritia, Gill.
 vulcanica, Andre.
Lobelia cardinalis, L.
 Erinus, L.
 inflata, L.
 sessilifolia, Lamb.
 syphilitica, L.
 tenuior, R. Br.
 triquetra, L.
Lolium multiflorum, Lam.
 perenne, L.
 temulentum, L.
Lonas inodora, Gaertn.
Lopezia coronata, Andr.
Lotus corniculatus, L.
 edulis, L.
 Jacobaeus, L.
 ornithopodioides, L.
 siliquosus, L.
 Tetragonolobus, L.
Lupinus affinis, Agardh.
 angustifolius, L.
 Cosentini, Guss.
 Cruksbanksii, Hook.
 densiflorus, Benth.
 elegans, H. B. & K.
 leptophyllus, Benth.

- Lupinus, cont.*
 micranthus, *Dougl.*
 mutabilis, *Sw.*
 nanus, *Dougl.*
 polyphyllus, *Lindl.*
 pubescens, *Benth.*
 subcarnosus, *Hook.*
 tricolor, *Hort.*
 varius, *L.*
- Luzula maxima, DC.*
 nivea, *DC.*
- Lychnis alba, Mill.*
 chalconica, *L.*
 Coeli-rosea, *Backh.*
 coronaria, *Desr.*
 — var. oculata.
 corsica, *Loisel.*
 dioica, *L.*
 Flos-cuculi, *L.*
 Flos-jovis, *Desr.*
 fulgens, *Fisch.*
 Githago, *Scop.*
 haageana, *Lemaire.*
 pauciflora, *Ledeb.*
 pyrenaica, *Berger.*
 Viscaria, *L.*
- Lycopersicum esculentum, Mill.*
- Lycopus europaeus, L.*
 exaltatus, *L.*
- Lycurus phleoides, H. B. & K.*
- Lysimachia barystachys, Bunge.*
 clethroides, *Duby.*
 punctata, *L.*
 vulgaris, *L.*
- Lythrum Graefferi, Tenore.*
 hyssopifolia, *L.*
 Salicaria, *L.*
- Madia elegans, D. Don.*
 sativa, *Molina.*
 — var. congesta, *A. Gray.*
- Malcolmia flexuosa, Sibth.*
 maritima, *R. Br.*
 mongolica, *Maxim.*
- Malope trifida, Cav.*
- Malva crispa, L.*
 Duriaei, *Hort. Kew.*
 oxyloba, *Boiss.*
- Malva, cont.*
 parviflora, *L.*
 rotundifolia, *L.*
 sylvestris, *L.*
- Malvastrum limense, Ball.*
- Mandragora officinarum, L.*
- Marrubium astracanicum, Jacq.*
 catariaefolium, *Desr.*
 pannonicum, *Reichb.*
 vulgare, *L.*
- Martynia formosa, Hort.*
 fragrans, *Lindl.*
 lutea, *Lindl.*
 proboscidea, *Glor.*
- Matricaria glabra, Ball.*
 inodora, *L.*
 Tchihatchewii, *Hort. Kew.*
- Matthiola incana, R. Br.*
 sinuata, *R. Br.*
 tricuspidata, *R. Br.*
- Mazus rugosus, Lour.*
- Meconopsis cambrica, Vig.*
 heterophylla, *Benth.*
- Medicago apiculata, Willd.*
 carstiensis, *Wulf.*
 falcata, *L.*
 hispida, *Gaertn.*
 littoralis, *Rhode.*
 lupulina, *L.*
 maculata, *Sibth.*
 marina, *L.*
 Murex, *Willd.*
 orbicularis, *All.*
 ruthenica, *Trautv.*
 sativa, *L.*
 scutellata, *All.*
 turbinata, *Willd.*
- Melica altissima, L.*
 ciliata, *L.*
 — var. Magnoli, (*Gren. & Godr.*).
 glauca, *F. Schultz* var.
 nebrodensis, (*Parl.*).
 nutans, *L.*
 uniflora, *Retz.*
- Melilotus alba, Desr.*
 indica, *All.*
 officinalis, *Lam.*

- Melissa officinalis*, *L.*
Mentha Pulegium, *L.*
 rotundifolia, *Huds.*
 rubra, *Sm.*
 sylvestris, *L.*
 viridis, *L.*
Mercurialis annua, *L.*
Mertensia sibirica, *G. Don.*
Mesembryanthemum pomeridianum, *L.*
 pinnatifidum, *L.*
 pyropeum, *Haw.*
 tricolor, *Willd.*
Meum Athamanticum, *Jacq.*
Mibora verna, *Beauv.*
Microseris attenuata, *Greene.*
Mimulus cardinalis, *Dougl.*
 luteus, *L.*
 moschatus, *Dougl.*
Mirabilis divaricata, *Lowe.*
 Jalapa, *L.*
 longiflora, *L.*
Modiola multifida, *Moench.*
Molopospermum cicutarium,
 DC.
Monarda citriodora, *Cerv.*
 didyma, *L.*
 fistulosa, *L.*
Monardella lanceolata, *A. Gray.*
Monolepis trifida, *Schrad.*
Moricandia arvensis, *DC.*
Morina longifolia, *Wall.*
Muehlenbergia mexicana, *Trin.*
 sylvatica, *Torr. & Gray.*
 Willdenovii, *Trin.*
Muscari Argaei, *Hort.*
 armeniaceum, *Baker.*
 atlanticum, *Boiss. & Reut.*
 comosum, *Mill.*
 compactum, *Baker.*
Muscari, *cont.*
 Heldreichii, *Boiss.*
 latifolium, *Kirk.*
 neglectum, *Guss.*
 racemosum, *Mill.*
 suaveolens, *Fisch.*
 szovitsianum, *Baker.*
Myosotis arvensis, *Lam.*
 palustris, *Lam.*
 sylvatica, *Hoffm.*
Myosurus minimus, *L.*
Myrrhis odorata, *Scop.*
Nemesia floribunda, *Lehm.*
 pubescens, *Benth.*
 versicolor, *E. Mey.*
Nemophila insignis, *Dougl.*
 maculata, *Benth.*
 Menziesii, *Hook. & Arn.*
 parviflora, *Dougl.*
Nepeta caesarca, *Boiss.*
 Cataria, *L.*
 concolor, *Boiss. & Heldr.*
 dirphyia, *Heldr.*
 macrantha, *Fisch.*
 Mussini, *Spreng.*
 Nepetella, *L.*
 nuda, *L.*
 spicata, *Benth.*
 suavis, *Stapf.*
Nesaea salicifolia, *H. B. & K.*
 var. *grandiflora.*
Nicandra physaloides, *Gaertn.*
Nicotiana acuminata, *Hook.*
 alata, *Link & Otto.*
 Bigelovii, *Wats.*
 Langsdorffii, *Schrank.*
 noctiflora, *Hook.*
 paniculata, *L.*
 rustica, *L.* var. *scabra*,
 Comes.
 sylvestris, *Spegaz & Comes.*
 Tabacum, *L.*
Nigella damascena, *L.*
 hispanica, *L.*
 orientalis, *L.*
 sativa, *L.*
Nolana prostrata, *L.*

Nonnea lutea, *Reichb.*

Nothoscordum fragrans, *Kunth.*

Ocimum gratissimum, *L.*

Odontospermum aquaticum,
Sch. Bip.

Enanthe crocata, *L.*
pimpinelloides, *L.*
silaifolia, *Bieb.*

Oenothera amoena, *Lehm.*
berteriana, *Spach.*
biennis, *L.*
— var. *grandiflora*, *Torr. & Gray.*
densiflora, *Lindl.*
dentata, *Cav.*
fruticosa, *L.*
glauca, *Michx.*
minutiflora, *D. Dietr.*
nocturna, *Jacq.*
odorata, *Jacq.*
pumila, *L.*
riparia, *Nutt.*
rosea, *Ait.*
sinuata, *L.*
speciosa, *Nutt.*
tenella, *Cav.*
tetraptera, *Cav.*
triloba, *Nutt.*

Omphalodes linifolia, *Moench.*

Onobrychis sativa, *Lam.*

Ononis arvensis, *L.*
Natrix, *L.*
rotundifolia, *L.*
spinosa, *L.*

Onopordon Acanthium, *L.*
illyricum, *L.*

Onosma albo-roseum, *Fisch. & Mey.*

Orchis foliosa, *Soland.*
incarnata, *L.*
latifolia, *L.*
maculata, *L.*

Organum vulgare, *L.*

Ornithogalum arcuatum, *Stev.*
exscapum, *Tenore.*
fimbriatum, *Willd.*

Ornithogalum, *cont.*
nutans, *L.*
orthophyllum, *Tenore.*

Ornithopus ebracteatus, *Brot.*
perpusillus, *L.*
sativus, *Brot.*

Orobanche elatior, *Sutt.*
Hederæ, *Duby.*
minor, *Sutt.*
ramosa, *L.*

Oryza sativa, *L.*

Oryzopsis multiflora, *Benth. & Hook. f.*

Ostrowskia magnifica, *Regel.*

Oxybaphus nyctagineus, *Sweet.*

Oxyria digyna, *Hill.*

Oxytropis baikalensis, *Pall.*
campestris, *DC.*
ochroleuca, *Bunge.*

Paeonia Emodi, *Wall.*
Broteri, *Boiss.*
officinalis, *L.*
paradoxa, *Anders.*
peregrina, *Mill.*

Palaua dissecta, *Benth.*

Pallenis spirosa, *Cass.*

Panicum adspersum, *Trin.*
capillare, *L.*
colonum, *L.*
Crus-galli, *L.*
Isachne, *Roth.*
miliaceum, *L.*
sanguinale, *L.*
virgatum, *L.*

Papaver alpinum, *L.*
aculeatum, *Thunb.*
apulum, *Tenore.*
arenarium, *Bieb.*
Argemone, *L.*
commutatum, *Fisch.*
dubium, *L.*
glaucum, *Boiss. & Hausskn.*
laevigatum, *Bieb.*
nudicaule, *L.*
orientale, *L.*
— var. *bracteatum*, (*Lindl.*).
pavoninum, *Mey.*

Papaver, cont.

- persicum, Lindl.*
- pilosum, Sibth. & Sm.*
- Rhoeas, L.*
- var. *latifolium, Prain.*
- rupifragum, Boiss. & Reñt.*
- var. *atlanticum, Ball.*
- somniferum, L.*
- spicatum, Boiss.*

Paracaryum heliocarpum,
Kerner.

Paradisia Liliastrum, Bertol.

Parietaria officinalis, L.

Parnassia nubicola, Wall.
palustris, L.

Patrinia hispida, Bunge.
villosa, Juss.

Peganum Harmala, L.

Peltaria alliacea, Jacq.

Pennisetum macrourum, Trin.
typhoideum, Rich.

Pentstemon campanulatus,
Willd.
confertus, Dougl.
glaber, Pursh.
glaucus, Grah. var. steno-
sepalus, A. Gray.
laevigatus, Soland. var.
Digitalus, A. Gray.
Menziesii, Hook. var. New-
berryi, A. Gray.
— var. *Scouleri, A. Gray.*
ovatus, Dougl.
pubescens, Soland.

Perezia multiflora, Less.

Petunia nyctaginiflora, Juss.

Peucedanum aegopodioides,
Vandas.
cnidioides, Boiss. & Heldr.
coriaceum, Reichb. f.
graveolens, Benth.
officinale, L.
sativum, Benth. & Hook. f.
Schottii, Bess.
Sowa, Kurz.

Phacelia bipinnatifolia, Michx.
campanularia, A. Gray.
loasaefolia, Torr.
Parryi, Torr.
tanacetifolia, Benth.
viscida, Torr.
Whitlavia, A. Gray.

Phalaris canariensis, L.
intermedia, Box.
paradoxa, L.
tuberosa, L.

Phaseolus multiflorus, Willd.
ricciardianus, Tenore.
tuberosus, Lour.
vulgaris, L.

Phleum asperum, Jacq.
Boehmeri, Wibel.
pratense, L.

Phlomis agraria, Bunge.
cashmiriana, Royle.
lunarifolia, Sibth. & Sm.
setigera, Falc.
tuberosa, L.
umbrosa, Turcz.
viscosa, Poir.

Physalis Alkekengi, L.
Francheti, Mast.
peruviana, L.
philadelphica, Lam.

Physochlaina orientalis, G. Don.

Physostegia virginiana, Benth.

Phyteuma canescens, Waldst. &
Kit.
Halleri, All.
Michellii, All.
Scheuchzeri, All.
— var. *Charmellii, Vill.*
scorzonerifolium, Vill.
serratum, Viv.
spicatum, L.

Phytolacca acinosa, Roxb.
bogotensis, H. B. & K.
octandra, L.

Pieridium tingitanum, Desf.

Picris echioides, L.
hieracioides, L.
pauciflora, Willd.

Pilea robusta, *Leibm.*

Pimpinella rotundifolia, *Bieb.*

Pisum arvense, *L.*
elatius, *Bieb.*
sativum, *L.*

Plantago arenaria, *Waldst. & Kit.*

Candollei, *Rafin.*
Coronopus, *L.*
Cynops, *L.*
Lagopus, *L.*
maritima, *L.*
media, *L.*
ovata, *Forsk.*
patagonica, *Jacq.*
virginica, *L.*

Platycodon grandiflorum, *A.DC.*
 — *var. Mariesii.*

Platystemon californicus, *Benth.*

Plectranthus glaucocalyx,
Maxim.

Pleurospermum angelicoides,
Benth.

Plumbago micrantha, *Ledeb.*

Poa abyssinica, *Jacq.*
caesia, *Sm.*
caespitosa, *Forst.*
Chaixii, *Vill.*
compressa, *L.*
nemoralis, *L.*
nevadensis, *Vasey.*
palustris, *Roth.*
pratensis, *L.*
trivialis, *L.*
violacea, *Bell.*

Podolepis acuminata, *R. Br.*

Podophyllum Emodi, *Wall.*

Polemonium caeruleum, *L.*
flavum, *Greene.*
himalayanum, *Baker.*
pauciflorum, *S. Wats.*

Polycarpaea latifolia, *Poir.*

Polygonatum biflorum, *Ell.*
verticillatum, *All.*

Polygonum affine, *D. Don.*
alatum, *Buch-Ham.*
alpinum, *All.* var. *polymorphum*, *Ledeb.*
baldschuanicum, *Regel.*
Bistorta, *L.*
capitatum, *Buch-Ham.*
compactum, *Hook. f.*
Convolvulus, *L.*
lapathifolium, *L.*
molle, *D. Don.*
orientale, *L.*
Persicaria, *L.*
Weyrichii, *F. Schmidt.*

Polypogon littoralis, *Sm.*
maritimus, *Willd.*
monspeliensis, *Desf.*

Portulaca grandiflora, *Hook.*

Potentilla alchemilloides,
Lapeyr.
alpestris, *Hall. f.*
argentea, *L.*
 — *var. calabra*, (*Tenore*).
arguta, *Pursh.*
argyrophylla, *Wall.*
aurea, *L.*
calycina, *Boiss. & Bal.*
chinensis, *Ser.*
chrysantha, *Trevir.*
Comarum, *Nestl.*
collina, *Wibel.*
desertorum, *Bunge.*
Detommasii, *Tenore.*
glandulosa, *Lindl.*
gracilis, *Dougl.*
heptaphylla, *Mill.*
hippiana, *Lehm.*
hirta, *L.*
 — *var. pedata*, *Lehm.*
kurdica, *Boiss.*
leschenaultiana, *Ser.*
montenegrina, *Pantoc.*
multifida, *L.*
nepalensis, *Hook.*
opaca, *L.*
peduncularis, *D. Don.*
pennsylvanica, *L.* var.
arachnoidea, *Lehm.*
pyrenaica, *Ramond.*
recta, *L.*
 — *var. laciniata.*
 — *var. macrantha.*
 — *var. palmata.*

Potentilla, cont.

- rivalis*, *Nutt.* var. *millegrana*, *S. Wats.*
- rupestris*, *L.*
- sanguisorbifoila*, *F. C. Wolf.*
- semi-laciniata*, *Hort.*
- sericea*, *L.*
- Sibbaldi*, *Hall. f.*
- tanacetifolia*, *Willd.*
- tridentata*, *Soland.*
- villosa*, *Pall.*
- Visianii*, *Panc.*
- wrangeliiana*, *Fisch. & Mey.*

- Poterium alpinum*, *Hort. Kew.*
- officinale*, *A. Gray.*
- Sanguisorba*, *L.*
- tenuifolium*, *Franch. & Sav.*

- Pratia angulata*, *Hook. f.*

- Prenanthes purpurea*, *L.*

- Preslia cervina*, *Fresen.*

- Primula denticulata*, *Sm.*
- elatior*, *Hill.*
- Forbesii*, *Franch.*
- japonica*, *A. Gray.*
- mollis*, *Nutt.*
- officinalis*, *Jacq.*
- rosea*, *Royle.*
- Stuarti*, *Wall.*
- suffrutescens*, *A. Gray.*
- variabilis*, *Goup.*
- vulgaris*, *Huds.*

- Prunella grandiflora*, *Jacq.*
- laciniata*, *L.*
- vulgaris*, *L.*

- Psoralea acaulis*, *Steud.*
- macrostachya*, *DC.*
- Onobrychis*, *Nutt.*
- physodes*, *Hook.*

- Pterostegia drymarioides*, *Fisch. & Mey.*

- Pulicaria dysenterica*, *Gaertn.*
- vulgaris*, *Gaertn.*

- Pycnanthemum lanceolatum*, *Pursh.*

- Pyrrhopappus carolinianus*, *DC.*
- Queria hispanica*, *L.*

- Ramondia pyrenaica*, *Rich.*

- Ranunculus aconitifolius*, *L.*
- acris*, *L.*
- arvensis*, *L.*
- brutius*, *Tenore.*
- Cymbalaria*, *Pursh.*
- falcatus*, *L.*
- lanuginosus*, *L.*
- muricatus*, *L.*
- ophioglossifolius*, *Vill.*
- parviflorus*, *L.*
- sardous*, *Crantz.*
- subscaposus*, *Hook.*
- trilobus*, *Desf.*

- Raphanus maritimus*, *Sm.*
- sativus*, *L.*

- Rapistrum rugosum*, *Berger.*

- Relhania sessilifolia.*

- Reseda alba*, *L.*
- glauca*, *L.*
- lutea*, *L.*
- Luteola*, *L.*
- odorata*, *L.*
- virgata*, *Boiss. & Reut.*

- Reutera gracilis*, *Boiss.*

- Rhagadiolus stellatus*, *Gaertn.*

- Rheum collinianum*, *Baill.*
- Emodi*, *Wall.*
- Franzenbachii*, *Muent.*
- macropterum*, *Mart.*
- nobile*, *Hook. f.*
- officinale*, *Baill.*
- palmatum*, *L.*
- Rhaponticum*, *L.*
- Ribes*, *L.*
- undulatum*, *L.*
- webbianum*, *Royce.*

- Richardsonia pilosa*, *H. B. & K.*

- Ricinus communis*, *L.*

- Roemeria hybrida*, *DC.*

- Rubia cordifolia*, *L.*
- tinctorum*, *L.*

- Rudbeckia amplexicaulis*, *Vahl.*
- digitata*, *Mill.*
- laciniata*, *L.*
- speciosa*, *Wender.*

Rumex alpinus, *L.*
biformis, *Lange.*
bucephalophorus, *L.*
conglomeratus, *Murr.*
crispus, *L.*
maritimus, *L.*
maximus, *Schreb.*
occidentalis, *S. Wats.*
orientalis, *Bernh.*
Patientia, *L.*
pulcher, *L.*
salicifolius, *Weinm.*
sanguineus, *L.*
scutatus, *L.*
vesicarius, *L.*

Ruta graveolens, *L.*
montana, *L.*

Sagina glabra, *Fenzl.*
 — var. *pilifera*, (*Fenzl.*)

Sagittaria sagittifolia, *L.*

Salsola Kali, *L.* var. *Tragus*,
Nym.

Salvia argentea, *L.*
Beckeri, *Trautv.*
cadmica, *Boiss.*
carduacea, *Benth.*
Columbariae, *Benth.*
glutinosa, *L.*
Horminum, *L.*
 — var. *bracteis roseis.*
 — var. *bracteis violaceis.*
interrupta, *Schousb.*
japonica, *Thunb.*
moorcroftiana, *Wall.*
nubicola, *Wall.*
nutans, *L.*
officinalis, *L.*
pratensis, *L.*
regeliana, *Trautv.*
schiedeana, *Stapp.*
Sclarea, *L.*
sylvestris, *L.*
tiliaefolia, *Vahl.*
Verbenaca, *L.*
verticillata, *L.*
viscosa, *Jacq.*

Sambucus Ebulus, *L.*

Samolus Valerandi, *L.*

Saponaria orientalis, *L.*
officinalis, *L.*
Vaccaria, *L.*

Saracha Jaltomata, *Schlecht.*

Satureia hortensis, *L.*

Saussurea albescens, *Hook. f. &*
Thoms.
candicans, *C. B. Clarke.*
deltoidea, *C. B. Clarke.*
discolor, *DC.*

Saxifraga Aizoides, *L.*

Aizoon, *L.*
 — var. *Gaudinii*, (*Bruegg.*)
 — var. *notata.*
caespitosa, *L.*
 — var. *hirta.*
cartilaginea, *Willd.*
catalaunica, *Boiss. & Reut.*
cernua, *L.*
cochlearis, *Reichb.*
Cotyledon, *L.*
 — var. *pyramidalis*,
 (*Lapeyr.*)
crustata, *Vest.*
cuneifolia, *L.* var. *infundi-*
buliformis, (*Lange.*)
 — var. *multicaulis*, (*Lange.*)
 — var. *subintegra*, (*Ser.*)
decipiens, *Ehrh.* var.
Steinmanni, (*Tausch.*)
erosa, *Pursh.*
flagellaris, *Willd.*
Geum, *L.*
granulata, *L.*
Hostii, *Tausch.*
 — var. *altissima*, (*Kern.*)
 — var. *macnabiana*, *Hort.*
hypnoides, *L.*
lingulata, *Bell.*
 — var. *lantoscana*, (*Boiss. &*
Reut.)
luteo-viridis, *Schott &*
Kotsch.
marginata, *Sternb.*
mertensiana, *Bongard.*
montavoniensis, *Kern.*
pedatifida, *Ehrh.*
peltata, *Torr. & Gray.*
Regeli, *Kernr.*
rotundifolia, *L.*
 — var. *hirsuta.*
sarmentosa, *L.*

Saxifraga, cont.

- Sibthorpii*, Boiss.
stenoglossa, Tausch.
taygetea, Hort. (not Boiss.
 & Heldr.),
tenella, Wulf.
trifurcata, Schrad.
 — var. *ceratophylla*,
Dryand.
umbrosa, L.
 — var. *gracilis*.

Scabiosa arvensis, L.

- atropurpurea*, L.
australis, Wulf.
banatica, Waldst. & Kit.
calocephala, Boiss.
caucasica, Bieb.
Columbaria, L.
Fischeri, DC.
fumarioides, Vis. & Panč.
graminifolia, L.
gramuntia, L.
integrifolia, L.
isetensis, L.
lancifolia, Lernet.
longifolia, Waldst. & Kit.
macedonica, Vis.
maritima, L.
micrantha, Desf.
orientalis, (L.).
palaestina, L.
plumosa, Sibth. & Sm.
prolifera, L.
Pterocephala, L.
succisa, L.
triniaeifolia, Frivald.
vestina, Facc.

Scandix Balansae, Reut.

- Schizanthus pinnatus*, Ruiz &
Pav.
retusus, Hook.

Schizopetalum Walkeri, Sims.*Schkuhria senecioides*, Nees.*Scilla amoena*, L.

- bifolia*, L.
festalis, Salisb.
hispanica, Mill.
Lilio-Hyacinthus, L.
messenjaca, Boiss.
peruviana, L.
sibirica, Andrews.
verna, Huds.

Scirpus Carices, Retz.

- Eriophorum*, Michx.
Holoschoenus, L.
lacustris, L.
maritimus, L.
polyphyllus, Vahl.
sylvaticus, L.
triqueter, L.

Scleranthus annuus, L.*Sclerocarpus uniserialis*, Benth.
 & Hook. f.*Scolymus maculatus*, L.*Scopolia lurida*, Dun.*Scorpiurus vermiculata*, L.*Scorzonera austriaca*, Willd. var.
latifolia.
villosa, Scop.*Scrophularia alata*, Gilib.

- aquatica*, L.
chrysantha, Jaub. & Spach.
nodosa, L.
peregrina, L.
sylvatica, Boiss. & Heldr.
vernalis, L.

Scutellaria albida, L.

- alpina*, L.
altissima, L.
baicalensis, Georgi.
galericulata, L.
hirta, Sibth. & Sm.
indica, L.
scordiifolia, Fisch.

Securigera Coronilla, L.*Sedum acre*, L.

- Aizoon*, L.
album, L.
Ewersii, Ledeb.
hispanicum, L.
populifolium, Pall.
pulchellum, Michx.
roseum, Scop.
rubens, L.
spathulifolium, Hook.
Telephium, L.

Selinum Carvifolia, L.

- Gmelini*, Bray.
vaginatum, C. B. Clarke.

Sempervivum arachnoideum, L.

- var. *Laggeri*, *Schnittsp.*
- arvernense*, *Lecoq & Lamotte.*
- assimile*, *Schott.*
- bicolor*, *Hort.*
- Boissieri*, *Hort.*
- boutignyanum*, *Billot & Gren.*
- caucasicum*, *Rupr.*
- fimbriatum*, *Schnittsp.*
- Funckii*, *F. Braun.*
- leucanthemum*, *Panč.*
- mettenianum*, *Schnittsp.*
- montanum*, L.
- obscurum*, *Hort.*
- Pilosella*, *Hort.*
- parvulum*, *Jord. & Fourr.*
- Royeni*, *Hort.*
- Schottii*, *Baker.* var. *acuminatum*, (*Schott*).
- speciosum*, *Lamotte.*
- tectorum*, L.
- var. *rusticanum*, *Hort.*
- Verloti*, *Lamotte.*

Senecio adonidifolius, *Loisel.*

- campestris*, DC. var. *maritima*, *Syme.*
- Cineraria*, DC.
- diversifolius*, *Wall.*
- Doria*, L.
- elegans*, L.
- Fetisowii*, *Regel.*
- Hodgsoni*, *Hort. Kew.*
- japonicus*, *Sch. Bip.*
- Kaempferi*, DC.
- lautus*, *Soland.*
- macrophyllus*, *Bieb.*
- nemorensis*, L.
- paludosus*, L.
- squalidus*, L.
- suaveolens*, *Ell.*
- thapsoides*, DC.
- viscosus*, L.

Serratula coronata, L.

- Gmelini*, *Ledeb.*
- quinquefolia*, *Bieb.*
- tinctoria*, L.

Sesamum indicum, L.*Seseli annuum*, L.

- elatum*, L.
- gummiferum*, *Sm.*
- Hippomarathrum*, L.

Seseli, *cont.*

- Libanotis*, *Koch.*
- osseum*, *Crantz.*
- tenuifolium*, L.

Setaria italica, *Beauv.*

- macrochaeta*, *Spreng.*
- verticillata*, *Beauv.*
- viridis*, *Beauv.*
- vulpiseta*, *Roem. & Schult.*

Sherardia arvensis, L.*Sida Napaea*, *Cav.**Sidalcea candida*, *A. Gray.*

- Listeri*, *Hort.*
- malvaeflora*, *A. Gray.*
- Mariana*, *Hort.*

Sideritis Eubaea, *Boiss. & Heldr.*

- montana*, L.
- scordioides*, L.

Siegesbeckia orientalis, L.*Silaus flavescens*, *Bernh.*

- tenuifolius*, DC.

Silene alpestris, *Jacq.*

- anglica*, L.
- Armeria*, L.
- ciliata*, *Pourr.*
- clandestina*, *Jacq.*
- colorata*, *Poir.*
- conoidea*, L.
- cretica*, L.
- Cucubalus*, *Wibel.*
- echinata*, *Oth.*
- fimbriata*, *Sims.*
- flavescens*, *Waldst. & Kit.*
- Fortunei*, *Vis.*
- fruticulosa*, *Sieber.*
- fuscata*, *Link.*
- gallica*, L.
- glauc*, *Pourr.*
- italica*, *Pers.*
- juvenalis*, *Delile.*
- laeta*, *A. Br.*
- linicola*, *C. C. Gmel.*
- longicilia*, *Oth.*
- maritima*, *With.*
- melandrioides*, *Lange.*
- monachorum*, *Vis.*
- Muscipula*, L.
- nocteolens*, *Webb. & Berth.*
- noctiflora*, L.
- nocturna*, L.

Silene, cont.

nutans, L.
obtusifolia, Willd.
odontopetala, Fenzl.
Otites, Sm.
paradoxa, L.
pendula, L.
rubella, L.
Sartori, Boiss.
Saxifraga, L.
Schafta, Gmel.
sedoides, Jacq.
squamigera, Boiss.
tatarica, Pers.
tenuis, Willd.
Thorei, Duf.
undulata, Ait.
vallesia, L.
verecunda, S. Wats.
vesiculifera, J. Gay.
wolgensis, Bess.
Zawadskii, Herbich.

Silphium integrifolium, Michx.

perfoliatum, L.
scaberrimum, Ell.
trifoliatum, L.
 — var. *ternatum, Retz.*

Silybum eburneum, Coss. & Dur.

Marianum, Gaertn.

Sisymbrium assoanum, Losc. & Pard.

austriacum, Jacq.
multifidum, Willd.
polyceratum, L.
Sophia, L.
strictissimum, L.
Thalianum, F. Gay.

Sisyrinchium grandiflorum, Lindl.

striatum, Sm.

Sium latifolium, L.

Sisarum, L.

*Smilacina stellata, Desf.**Smyrnum apiifolium, Willd.*

Olusatrum, L.
rotundifolium, Mill.

Solanum etuberosum, Lindl.

nigrum, L.

Solanum, cont.

rostratum, Dunal.
villosum, Willd.

Solidago canadensis, L.

Drummondi, Torr. & Gray.
elliptica, Ait.
elongata, Nutt.
lithospermifolia, Willd.
neglecta, Torr. & Gray.
nemoralis, Ait.
serotina, Ait.
Shortii, Torr. & Gray.

Sonchus asper, Hill.

oleraceus, L.
palustris, L.

*Sorghum vulgare, Pers.**Sparganium simplex, Huds.**Spartina polystachya, Willd.**Specularia falcata, A.DC.*

hybrida, A.DC.
pentagonia, A.DC.
perfoliata, A.DC.
Speculum, A.DC.

*Spergula arvensis, L.**Sphaeralcea rivularis, Torr.**Spilanthes Acmella, Murr.**Spinacea oleracea, L.**Spiraea Aruncus, L.*

Filipendula, L.
Ulmaria, L.

Stachys alpina, L.

annua, L.
Betonica, Benth.
grandiflora, Benth.
graeca, Boiss. & Heldr.
lanata, Jacq.
longifolia, Benth.
recta, L.
setifera, C. A. Mey.
sylvatica, L.

Statice bellidifolia, Gouan.

Bonduelli, Lestib.
cosyrensis, Guss.
echioides, L.
eximia, Schrenk.
globulariaefolia, Desf.

Statice, *cont.*

- gougetiana*, *Girard.*
- incana*, *L.* var. *nana.*
- Limonium*, *L.*
- sinensis*, *Girard.*
- sinuata*, *L.*
- speciosa*, *L.*
- Suworowi*, *Regel.*

Stevia Eupatoria, *Willd.*
serrata, *Cav.*

Stipa *Aristella*, *L.*

- arundinacea*, *Benth.*
- Calamagrostis*, *Wahlenb.*
- capillata*, *L.*
- papposa*, *Nees.*
- pennata*, *L.*
- sibirica*, *Lam.*
- spartea*, *Trin.*
- splendens*, *Trin.*
- viridula*, *Trin.*

Stropholirion californicum,
Torr.

Symphyandra Hofmanni, *Pant.*
pendula, *A.DC.*
Wanneri, *Heuff.*

Symphytum officinale, *L.*
peregrinum, *Ledeb.*

Synthyris *reniformis*, *Benth.*Syrenia *sessilifolia*, *Ledeb.*

Tagetes erecta, *L.*
patula, *L.*

Talinum *crassifolium*, *Willd.*Tamus *communis*, *L.*Tanacetum *vulgare*, *L.*

Taraxacum gymnanthum, *DC.*
officinale, *Weber.*

Telephium *Imperati*, *L.*Tellima *grandiflora*, *R. Br.*

Tetragonia crystallina, *L'Hérit.*
expansa, *Murr.*

Teucrium Arduini, *L.*
Botrys, *L.*
canadense, *L.*
Chamaedrys, *L.*

Teucrium, *cont.*

- graecum*, *Crlak.*
- multiflorum*, *L.*
- Scorodonia*, *L.*

Thalictrum *angustifolium*, *L.*

- aquilegiifolium*, *L.*
- corynellum*, *DC.*
- glaucum*, *Desf.*
- minus*, *L.*
- var. *collinum*, (*Wallr.*)
- var. *elatum*, (*Jacq.*)
- var. *pubescens*, (*Schleich.*)
- var. *purpurascens*,
(Georgi).
- odoratum*, *Gren. & Godr.*
- squarrosum*, *Stephan.*

Thelesperma *filifolium*, *A. Gray.*

Thermopsis caroliniana, *M. A.*
Curtis.

Thladiantha *dubia*, *Bunge.*

Thlaspi arvense, *L.*
perfoliatum, *L.*

Thymus Chamaedrys, *Fries.*
 var. *comosus*, (*Heuff.*)

Tinantia *fugax*, *Scheidw.*

Tolmiea Menziesii, *Torr. &*
Gray.

Tolpis *barbata*, *Gaertn.*Tordylium *cordatum*, *Poir.*

Trachymene coerulea, *R. Grah.*
pilosa, *Sm.*

Tradescantia congesta, *Penny.*
virginiana, *L.*

Tragopogon *major*, *L.*Tragus *racemosus*, *Hall.*Tribulus *terrestris*, *L.*Tricholepis *furcata*, *DC.*Tridax *trilobata*, *Hemsl.*

Trifolium agrarium, *L.*
alpestre, *L.*
angustifolium, *L.*
armenium, *Willd.*
arvense, *L.*

Trifolium, cont.

- Balansae, Boiss.*
clypeatum, L.
diffusum, Ehrh.
filiforme, L.
fragiferum, L.
glomeratum, L.
hybridum, L.
incarnatum, L.
leucanthum, Bieb.
Lupinaster, L.
maritimum, Huds.
medium, L.
multistriatum, Koch.
pannonicum, L.
Perreymondi, Gren. & Godr.
physodes, Stev.
pratense, L.
roscidum, Greene.
repens, L.
resupinatum, L.
rubens, L.
spumosum, L.
stellatum, L.
striatum, L.
tridentatum, Lindl.
- Triglochin maritimum, L.*
palustre, L.
- Trigonella corniculata, L.*
caerulea, Ser.
cretica, Boiss.
Foenum-graecum, L.
ovalis, Boiss.
polycerata, L.
suavissima, Lindl.
- Trillium grandiflorum, Salisb.*
- Trinia Kitaibeli, Bieb.*
- Triosteum perfoliatum, L.*
- Tripteris cheiranthifolia, Schultz.*
- Triptostegia glandulosa, Wall.*
- Triticum Aegilops, Beauv.*
amyleum, Ser.
monococcum, L.
ovatum, Gren. & Godr.
Spelta, L.
violaceum, Hornem.
vulgare, Vill.

Tritonia crocosmaeflora, Hort.
Pottsii, Benth.

Trollius europaeus, L.

Tropaeolum aduncum, Sm.
majus, L.
minus, L.

Troximon grandiflorum, A. Gray.
laciniatum, A. Gray.

Tunica olympica, Boiss.
prolifera, Scop.
Saxifraga, Scop.

Tussilago Farfara, L.

Typha angustifolia, L.
latifolia, L.
stenophylla, Fisch. & Mey.

Uniola latifolia, Michx.

Urospermum picroides, Desf.

Ursinia pulchra, N. E. Br.

Urtica pilulifera, L.
 — var. *balearica, (L.).*
thunbergiana, Sieb. & Zucc.

Valeriana officinalis, L.
 — var. *sambucifolia, (Mikan).*
Phu, L.

Valerianella carinata, Loisel.
coronata, DC.
dentata, Poll.
echinata, DC.
eriocarpa, Desv.
olitoria, Poll.
vesicaria, Moench.

Velezia rigida, L.

Venidium fugax, Harv.
perfoliatum, Less.

Veratrum nigrum, L.
viride, Ait.

Verbascum Lychnitis, L.
nigrum, L.
olympicum, Boiss.
phlomoides, L.
pulverulentum, Vill.

Verbena angustifolia, Michx.

Aubletia, L.
biserrata, H. B. & K.
bonariensis, L.
caroliniana, Michx.
officinalis, L.
urticifolia, L.

Verbesina encelioides, Benth. &

Hook. f.
helianthoides, Michx.

Veronica Anagallis, L.

anagalloides, Guss.
Becabunga, L.
Chamaedrys, L.
exaltata, Maud.
glauca, Sibth. & Sm.
incana, L.
longifolia, L.
officinalis, L.
persica, Poir.
saxatilis, Scop.
serpyllifolia, L.
spicata, L.
Teucrium, L. var. *dubia*,
 (Chaix).
virginica, L.

Vicia atropurpurea, Desf.

bithynica, L.
calcarata, Desf.
Cracca, L.
disperma, DC.
Faba, L.
 — var. *equina*, (Steud.).
fulgens, Batand.
gigantea, Hook.
graminea, Sm.
hirsuta, S. F. Gray.
lutea, L.
melanops, Sibth. & Sm.
narbonensis, L.
Orobus, DC.
sativa, L.
sepium, L.
sicula, Guss.
sylvatica, L.

Vicia, cont.

unijuga, A. Braun.
villosa, Roth.

Vincetoxicum fuscatum,

Reichb. f.
nigrum, Moench.
officinale, Moench.

Viola cornuta, L.

cucullata, Ait.
elatior, Fries.
hirta, L.
lutea, Huds.
mirabilis, L.
odorata, L.
palustris, L.
pratensis, Mert. & Koch.
rothomagensis, Desf.
striata, Ait.
sylvestris, Lam.
syrtica, Sünd.
tricolor, L.

Volutarella Lippii, Cass.

muricata, Benth. & Hook. f.

Wahlenbergia dalmatica, A. DC.

gracilis, A. DC.
Kitaibelii, A. DC.
lobelioides, Link.
serpyllifolia, Hort. Kew.

Wulfenia carinthiaca, Jacq.*Xanthium spinosum*, L.

strumarium, L.

Xanthocephalum gymnospermoides, Benth. & Hook. f.*Xeranthemum annuum*, L.*Zauschneria californica*, Prest.*Zea Mays*, L.*Zinnia haageana*, Regel.*Ziziphora tenuior*, L.*Zygadenus elegans*, Pursh.

TREES AND SHRUBS.

Abies amabilis, *Forbes*.
balsamea, *Mill*.
cephalonica, *Loudon*.
concolor, *Lindl. & Gordon*.
Fraseri, *Lindl*.
grandis, *Lindl*.
lasiocarpa, *Hook*.
numidica, *De Lannoy*.
sibirica, *Ledeb*.

Acer campestre, *L*.
 — var. *aetnense*.
 — var. *collinum*, *Wallr*.
caudatum, *Wall*.
circinatum, *Pursh*.
coriaceum, *Tausch*.
Heldreichi, *Orph*.
hyrcanum, *Fisch. & Mey*.
insigne, *Boiss. & Buhse*.
japonicum, *Thunbg*.
macrophyllum, *Pursh*.
micranthum, *Sieb. & Zucc*.
monspessulanum, *L*.
Negundo, *L*.
 — var. *violaceum*.
opulifolium, *Vill*.
 — var. *neapolitanum*.
pennsylvanicum, *L*.
platanoides, *L*.
Pseudo-Platanus, *L*.
 — var. *purpureum*.
spicatum, *L*.
tataricum, *L*.
 — var. *Ginnala*.

Ailanthus glandulosa, *Desf*.

Alnus cordifolia, *Tenore*.
glutinosa, *Gaertn*.
incana, *Willd*.
japonica, *Sieb. & Zucc*.
nitida, *Endl*.
oregona, *Nutt*.
orientalis, *Decne*.
rhombifolia, *Nutt*.
serrulata, *Willd*.
subcordata, *C. A. Mey*.
viridis, *DC*.

Amelanchier alnifolia, *Nutt*.
canadensis, *Torr. & Gray*.
vulgaris, *Moench*.

Amorpha canescens, *Nutt*.
fruticosa, *L*.

Andromeda polifolia, *L*.

Aplopappus ericoides, *DC*.

Aralia chinensis, *L*. var. *cane-*
scens.
 — var. *spinosa*, *L*.

Arbutus Andrachne, *L*.

Aucuba japonica, *Thunb*.

Berberis Aquifolium, *Pursh*.
 — var. *fascicularis*, *Nichols*.
 — var. *murrayana*, *Hort*.
aristata, *DC*.
buxifolia, *Lam*.
canadensis, *Pursh*.
concinna, *Hook. f*.
Darwinii, *Hook*.
Lycium, *Royle*.
repens, *Lindl*.
sinensis, *Desf*.
Thunbergi, *DC*.
virescens, *Hook. f*.
vulgaris, *L*.
 — var. *foliis purpureis*.

Betula alba, *L*.

— var. *pubescens*, *Loud*.
alpestris, *Fries*.
corylifolia, *Regel & Maxim*.
davurica, *Pall*.
Ermani, *Cham*.
fruticosa, *Pall*.
humilis, *Schrenk*.
lenta, *L*.
lutea, *Michx*.
nigra, *L*.
occidentalis, *Hook*.
papyrifera, *Marsh*.
populifolia, *Marsh*.
ulmifolia, *Sieb. & Zucc*.
utilis, *D. Don*.

Bruckenthalia spiculifolia,
Reichb.

- Buddleia intermedia*, *Carr.*
japonica, *Hemsl.*
variabilis, *Hemsl.*
- Buxus sempervirens*, *L.*
 — var. *latifolia*.
 — var. *prostrata*.
- Calluna vulgaris*, *Salisb.*
- Calycanthus occidentalis*, *Hook.*
& Arn.
- Caragana arborescens*, *Lam.*
 — var. *Redowskii*.
aurantiaca, *Koehne.*
brevispina, *Royle.*
frutescens, *DC.*
microphylla, *Lam.*
pygmaea, *DC.*
- Carmichaelia australis*, *R. Br.*
- Carpinus Betulus*, *L.*
 — var. *incisa*.
caroliniana, *Walt.*
orientalis, *Mill.*
- Cassandra calyculata*, *D. Don.*
- Cassinia fulvida*, *Hook. f.*
leptophylla, *Hort.*
- Catalpa cordifolia*, *Jaume.*
- Ceanothus americanus*, *L.*
Arnoldi, *Hort.*
Fendleri, *A. Gray.*
grandiflorus, *Hort.*
integerrimus, *Hk. & Arn.*
ovatus, *Desf.*
velutinus, *Dougl.*
- Cedrus Deodara*, *Loud.*
Libani, *Loud.*
- Celastrus articulatus*, *Thunb.*
- Celtis australis*, *L.*
occidentalis, *L.*
Tournefortii, *Lam.*
- Cercis Siliquastrum*, *L.*
- Chionanthus virginica*, *L.*
- Cistus corbariensis*, *Pourr.*
hirsutus, *Lam.*
laurifolius, *L.*
- Cistus*, *cont.*
salvifolius, *L.*
vaginatus, *Ait.*
villosus, *L.*
- Cladrastis amurensis*, *Benth.*
 — var. *Buergeri*.
- Clematis aethusifolia*, *Turcz.*
alpina, *Mill.*
campaniflora, *Brot.*
crispa, *L.*
Flammula, *L.*
fusca, *Turcz.*
Hendersonii, *Chandl.*
lanuginosa, *Lindl.*
montana, *Wall.*
orientalis, *L.*
 — var. *tangutica*,
Pitcheri, *Torr. & Gray.* var.
lasiosylis.
songarica, *Bunge.*
Viorna, *L.*
virginiana, *L.*
Vitalba, *L.*
Viticella, *L.* var. *alba*.
 — var. *rubra*.
- Clerodendron trichotomum*,
Thunb.
- Clethra acuminata*, *Michx.*
alnifolia, *L.*
- Colutea arborescens*, *L.*
cruenta, *Ait.*
istria, *Mill.*
melanocalyx, *Boiss.*
- Conyza ivaefolia*, *Less.*
- Coriaria japonica*, *A. Gray.*
terminalis, *Hemsl.*
- Cornus alba*, *L.*
alternifolia, *L. f.*
Amomum, *Mill.*
Baileyi, *Coult. & Evans.*
candidissima, *Marsh.*
circinata, *L'Herit.*
florida, *L.*
glabrata, *Benth.*
Kousa, *Buerg.*
Mas, *L.*
pubescens, *Nutt.*
sanguinea, *L.*
stolonifera, *Michx.*

Coronilla Emerus, *L.*

Cotoneaster acuminata, *Lindl.*
affinis, *Lindl.*
bacillaris, *Wall.*
 — var. *floribunda*, *Hort.*
buxifolia, *Wall.*
frigida, *Wall.*
horizontalis, *Decne.*
integerrima, *Medic.*
laxiflora, *Jacq.*
lucida, *Schlecht.*
microphylla, *Wall.*
multiflora, *Bunge.*
Nummularia, *Fisch. & Mey.*
pannosa, *Franch.*
rotundifolia, *Wall.*
Simonsii, *Baker.*
thymifolia, *Baker.*

Crataegus Carrierei, *Vauvel.*
coccinea, *L.*
 — var. *macracantha*, *Dudley.*
cordata, *Ait.*
Crus-Galli, *L.*
 — var. *splendens*, *Lodd.*
Douglasii, *Lindl.*
flava, *Ait.*
heterophylla, *Fluegg.*
hiemalis, *Lange.*
melanocarpa, *Bieb.*
mollis, *Scheele.*
monogyna, *Jacq.*
nigra, *Waldst. & Kit.*
orientalis, *Pall.*
 — var. *sanguinea.*
oxyacanthoides, *Thuill.*
 — var. *fructu luteo.*
pentagyna, *Kit.*
pinnatifida, *Bunge.*
punctata, *Jacq.*
Pyracantha, *Pers.*
rivularis, *Nutt.*
sanguinea, *Pall.*
 — var. *songarica.*
sorbifolia, *Lange.*
tanacetifolia, *Pers.*
tomentosa, *L.*
uniflora, *Muenchh.*
viridis, *L.*

Cupressus lawsoniana, *Murr.*
macrocarpa, *Hartw.*
obtusa, *C. Koch.*

Cupressus, *cont.*
pisifera, *C. Koch.*
thyoides, *L.*

Cytisus albus, *L.*
biflorus, *L'Hérit.*
capitatus, *Jacq.*
frivaldskyanus, *Degen.*
monspessulanus, *L.*
nigricans, *L.*
praecox, *Hort.*
purgans, *Boiss.*
purpureus, *Scop.*
scoparius, *L.*
 — var. *andreaus.*
 — var. *pendulus.*
 — var. *sulphureus.*
sessilifolius, *L.*

Daboëcia polifolia, *D. Don.*

Daphne Mezereum, *L.*

Desmodium viridiflorum, *Beck.*

Deutzia crenata, *Sieb. & Zucc.*

Diervilla hortensis, *Sieb. & Zucc.*
sessilifolia, *Buckl.*
 — var. *splendens.*

Diospyros virginiana, *L.*

Dirca palustris, *L.*

Eccremocarpus scaber, *Ruiz & Pav.*

Elaeagnus angustifolia, *L.*
argentea, *Pursh.*
multiflora, *Thunb.*
umbellata, *Thunb.*

Erica arborea, *L.*
ciliaris, *L.*
cinerea, *L.*
mediterranea, *L.*
multiflora, *L.*
scoparia, *L.*
stricta, *Donn.*
vagans, *L.*

Escallonia exoniensis, *Hort.*
punctata, *DC.*
rubra, *Pers.*

- Euonymus europaeus*, *L.*
latifolius, *Scop.*
thunbergianus, *Blume.*
Exochorda Alberti, *Regel.*
Fontanesia Fortunei, *Carrière.*
philliraeoides, *Labill.*
Fothergilla Gardeni, *Murr.*
Fraxinus americana, *L.*
Excelsior, *L.*
— var. *heterophylla*, *Loud.*
nigra, *Marsh.*
Ornus, *L.*
Gaultheria Shallon, *Pursh.*
Gaylussacia resinosa, *Torr. & Gray.*
Genista aethnensis, *DC.*
anglica, *L.*
cinerea, *DC.*
germanica, *L.*
hispanica, *L.*
pilosa, *L.*
sagittalis, *L.*
tinctoria, *L.* var. *elatior.*
virgata, *DC.*
Halesia corymbosa, *Nichols.*
tetraptera, *L.*
Hedera Helix, *L.*
Hedysarum multijugum,
Maxim.
Helianthemum canum, *Dunal.*
formosum, *Dunal.*
halimifolium, *Willk.*
hirtum, *Mill.*
polifolium, *Pers.*
vulgare, *Gaertn.*
— var. *mutabile.*
— var. *rhodanthum.*
Hippophaë rhamnoides, *L.*
Hydrangea arborescens, *L.*
paniculata, *Sieb. & Zucc.*
petiolaris, *Sieb. & Zucc.*
pubescens, *Decne.*
radiata, *Walt.*
Hypericum Androsaemum, *L.*
Ascyron, *L.*
aureum, *Bartr.*
calycinum, *L.*
corymbosum, *Muhl.*
densiflorum, *Pursh.*
elatum, *Ait.*
erectum, *Thunb.*
hircinum, *L.*
hookerianum, *Wight & Arn.*
inodorum, *Jacq.*
kalmianum, *L.*
moserianum, *André.*
olympicum, *L.*
patulum, *Thunb.*
prolificum, *L.*
Ilex Aquifolium, *L.*
cornuta, *Lindl. & Buxt.*
decidua, *Walt.*
glabra, *A. Gray.*
opaca, *Ait.*
Sieboldii, *Miq.*
— var. *ructu luteo.*
verticillata, *A. Gray.*
— var. *fructu luteo.*
Indigofera gerardiana, *Wall.*
hebeptala, *Benth.*
Jamesia americana, *Torr. & Gray.*
Jasminum fruticans, *L.*
humile, *L.*
Juniperus chinensis, *L.*
communis, *L.*
excelsa, *Bieb.*
Kalmia angustifolia, *L.*
glauca, *Ait.*
latifolia, *L.*
Laburnum alpinum, *J. S. Presl.*
— var. *biferum*, *Hort.*
vulgare, *J. S. Presl.*
Larix europaea, *DC.*
— var. *sibirica*, *Beissn.*
leptolepis, *Endl.*
occidentalis, *Nutt.*
Ledum latifolium, *Ait.*
palustre, *L.*
Lespedeza bicolor, *Turcz.*

Leucothoe racemosa, *A. Gray.*

Leycesteria formosa, *Wall.*

Ligustrum Ibot, *Sieb.*
sinense, *Lour.*
vulgare, *L.*

Lonicera alpigena, *L.*
angustifolia, *Wall.*
depressa, *Royle.*
glauca, *Hill.*
hirsuta, *Eaton.*
japonica, *Thunb.*
Korolkowii, *Stapf.*
Morrowii, *A. Gray.*
nigra, *L.*
orientalis, *Lam.*
Periclymenum, *L.*
segreziensis, *Lavall.*
Sullivantii, *A. Gray.*
syringantha, *Maxim.*
translucens, *Carr.*
Xylosteum, *L.*

Lupinus arboreus, *L.*

Lycium grevilleanum, *Gillies.*

Lyonia paniculata, *Nutt.*

Magnolia Kobus, *DC.*
macrophylla, *Michx.*
soulangiana, *Hort.*
tripetala, *L.*

Menispermum canadense, *L.*

Microglossa albescens, *C. B.*
Clarke.

Morus nigra, *L.*

Myrica californica, *Cham. &*
Schlecht.
carolinensis, *Miller.*
cerifera, *L.*
Gale, *L.*

Myricaria germanica, *Desv.*

Neillia amurensis, *Benth. &*
Hook. f.
opulifolia, *Benth. & Hook. f.*

Olearia Haastii, *Hook. f.*
macrodonata, *Baker.*

Ononis aragonensis, *Asso.*
rotundifolia, *L.*

Pernettya mucronata, *Gaudich.*

Petteria ramentacea, *Presl.*

Philadelphus acuminatus,
Lange.
Billardi, *Koehne.*
coronarius, *L.*
 — var. *tomentosus*, *Hook.*
f. & Thoms.
gordonianus, *Lindl.*
grandiflorus, *Willd.*
Lemoinei, *Hort.*
Lewisii, *Pursh.*
Satsumi, *Sieb.*

Picea alba, *Link.*

Pieris japonica, *D. Don.*
mariana, *Benth. & Hook. f.*
nitida, *Benth. & Hook. f.*

Pinus albicaulis, *Engelm.*
Jeffreyi, *A. Murr.*
Laricio, *Poir.*
 — var. *monspeliensis.*
mitis, *Michx.*
monophylla, *Torr.*
parviflora, *Sieb. & Zucc.*
Peuke, *Griseb.*
ponderosa, *Dougl.*
Sabiniana, *Dougl.*
Taeda, *L.*

Piptanthus nepalensis, *Sweet.*

Platanus acerifolia, *Willd.*
occidentalis, *L.*
orientalis, *L.*

Populus deltoidea, *Marsh.*
nigra, *L.*
Sieboldii, *Miq.*

Potentilla fruticosa, *L.*
salesoviana, *Steph.*

Prunus acida, *Borkh.* var. *sem-perflorens*.
alleghaniensis, *Porter*.
americana, *Marsh*.
Besseyi, *Bailey*.
Brigantiaca, *Chaix*.
Capollin, *Zucc*.
cerasifera, *Ehrh*.
demissa, *Walp*.
divaricata, *Ledeb*.
Laurocerasus, *L*.
lusitanica, *L. f*.
Mahaleb, *L*.
maritima, *Wangenh*.
nigra, *Ait*.
Padus, *L*.
Puddum, *Roxb*.
serotina, *Ehrh*.
spinosa, *L*.

Ptelea trifoliata, *L*.

Pyrus alnifolia, *Franch. & Savat*.

alpina, *Willd*.
americana, *DC*.
arbutifolia, *L*.
Aria, *L*.
 — var. *Hostii*.
Aucuparia, *Gaertn*.
baccata, *L*.
Balansae, *Decne*.
canescens, *Spach*.
communis, *L*.
coronaria, *L*.
Cydonia, *L*.
decaisneana, *Nichols*.
floribunda, *Nichols*.
germanica, *Hook. f*.
intermedia, *Ehrh*.
japonica, *Thunb*.
lanata, *D. Don*.
lanuginosa, *DC*.
lobata, *Nichols*.
longipes, *Coss. & Durieu*.
Maulei, *Mast*.
Michauxi, *Bosc*.
nigra, *Sargent*.
nivalis, *Jacq*.
parviflora, *Desf*.
pinnatifida, *Ehrh*.
prunifolia, *Willd*.
Ringo, *Maxim*.
rotundifolia, *Bechst*.

Pyrus, *cont*.

salicifolia, *L*.
Schiedeckeri, *Hort*.
sikkimensis, *Hook. f*.
sinaica, *Thouin*.
sinensis, *Lindl*.
Sorbus, *Gaertn*.
spuria, *DC*.
Toringo, *Sieb*.

Rhamnus Alaternus, *L*.

— var. *angustifolius*.
californicus, *Eschsch*.
catharticus, *L*.
davuricus, *Pall*.
Frangula, *L*.
libanoticus, *Boiss*.
purshianus, *DC*.

Rhododendron Albrechtii,
Maxim.

catawbiense, *Michx*.
ferrugineum, *L*.
flavum, *G. Don*.
kewense, *W. Wats*.
ponticum, *L*.
 — var. *cheiranthifolium*.
 — var. *lancifolium*.
punctatum, *Andr*.
quinquefolium, *Bisset & S. Moore*.

Rhodotypus kerrioides, *Sieb. & Zucc*.

Rhus aromatica, *L*.

Cotinus, *L*.
glabra, *L*.
 — var. *laciniata*, *Carr*.
Osbeckii, *DC*.
Toxicodendron, *L*.
typhina, *L*.

Ribes alpinum, *L*.

— var. *pumilum*, *Hort*.
aureum, *Pursh*.
 — var. *aurantiacum minus*,
Hort.
 — var. *tenuiflorum*, *Torr*.
bracteosum, *Dougl*.
cereum, *Dougl*.
divaricatum, *Dougl*.
fasciculatum, *Sieb. & Zucc*.

Ribes, cont.

- gracile, *Michx.*
 Menziesii, *Pursh.*
 multiflorum, *Waldst. & Kit.*
 petraeum, *Wulf.*
 robustum, *Hort.*
 rubrum, *L.*
 — var. *Schlechtendalii.*
 sanguineum, *Pursh.*

Robinia neo-mexicana, A. Gray.

- Pseudacacia, L.*
viscosa, Vent.

Rosa acicularis, Lindl.

- agrestis, *Savi.*
 alba, *L.*
 alpina, *L.*
 — var. *pyrenaica, Gouan.*
 arkansana, *Porter.*
 beggeriana, *Schrenk.*
 blanda, *Ait.*
 californica, *C. & S.*
 canina, *L.*
 carolina, *L.*
 — var. *nuttalliana.*
 cinnamomea, *L.*
 — var. *glandulifolia.*
 damascena, *Mill.*
 Fendleri, *Crépin.*
 ferox, *Bieb.*
 ferruginea, *Vill.*
 foliolosa, *Nutt.*
 gallica, *L.*
 gymnocarpa, *Nutt.*
 hibernica, *Sm.*
 humilis, *Marsh.*
 — var. *triloba.*
 involuta, *Sm.* var. *Wilsoni,*
Baker.
 Jundzilli, *Besser.*
 macrophylla, *Lindl.*
 Malvi, *Kerner.*
 micrantha, *Sm.*
 microphylla, *Roxb.*
 mollis, *Sm.*
 moschata, *Mill.*
 multiflora, *Thunb.*
 nipponensis, *Crépin.*
 nitida, *Willd.*
 nutkana, *Presl.*
 ochroleuca, *Sw.*
 pisocarpa, *A. Gray.*
 pomifera, *Herrm.*

Rosa, cont.

- repens, *Scop.*
 rubella, *Sm.*
 rubiginosa, *L.*
 rugosa, *Sieb. & Zucc.*
 Sayi, *Schwein.*
 Seraphinii, *Viv.*
 sericea, *Lindl.*
 setigera, *Michx.*
 spinosissima, *L.*
 — var. *altaica.*
 — var. *hispida, Baker.*
 stylosa, *Desv.*
 tomentosa, *Sm.*
 virginiana, *Mill.*
 — var. *alba.*
 — var. *grandiflora.*
 webbiana, *Wall.*
 wichuraiana, *Crépin.*

Rubus affinis, Weihe & Nees.

- balfourianus, *Blox.*
 Bellardii, *Weihe.*
 biflorus, *Buch.-Ham.*
 caesius, *L.*
 Colemani, *Blox.*
 corylifolius, *Sm.*
 crataegifolius, *Bunge.*
 deliciosus, *James.*
 dumetorum, *Weihe & Nees.*
 echinatus, *Lindl.*
 erythrinus, *Genev.*
 exsecatus, *Muell.*
 foliolosus, *D. Don.*
 fuscus, *Weihe & Nees.*
 glandulosus, *Bell.*
 Guentheri, *Weihe & Nees.*
 hystrix, *Weihe & Nees.*
 Idaeus, *L.*
 Koehleri, *Weihe.*
 laciniatus, *Willd.*
 leucodermis, *Dougl.*
 leucostachys, *Sm.*
 lindleyanus, *Lees.*
 longithyriger, *Lees.*
 macrophyllus, *Weihe & Nees.*
 melanolasius, *Focke.*
 micans, *Gren. & Godr.*
 mucronatus, *Blox.*
 mutabilis, *Genev.*
 neglectus, *Peck.*
 nutkanus, *Moç.*
 occidentalis, *L.*
 odoratus, *L.*

Rubus, cont.

- parvifolius, *L.*
- phoenicolasius, *Maxim.*
- pubescens, *Auct. Angl.*
- Purchasi, *Blox.*
- Radula, *Weihe.*
- ramosus, *Blox.*
- rhamnifolius, *Weihe & Nees.*
- scaber, *Weihe & Nees.*
- suberectus, *Anders.*
- thyrsiflorus, *Weihe & Nees.*
- thyrsoideus, *Wimm.*
- ulmifolius, *Schott.*
- var. leucocarpus.
- villicaulis, *Koeht.*
- villosus, *Ait.*

*Ruta graveolens, L.**Salix ambigua, Ehrh.*

- Caprea, *L.*
- cinerea-repens, *Willd.*
- myrtilloides, *L.*
- var. pedicellaris, *Anderss.*
- rubra, *Huds.*
- smithiana, *Willd.*

Sambucus canadensis, L.

- glauca, *Nutt.*
- melanocarpa, *A. Gray.*
- nigra, *L.*
- racemosa, *L.*
- var. serratifolia.

*Sassafras officinale, Nees.**Smilax rotundifolia, L.**Spartium junceum, L.**Spiraea Aitchisoni, Hemsl.*

- betulifolia, *Pall.*
- bracteata, *Zabel.*
- canescens, *D. Don.*
- chamaedrifolia, *L.*
- discolor, *Pursh.*
- Douglasii, *Hook.*
- japonica, *L. f.*
- var. glabrata, *Nichols.*
- lindleyana, *Wall.*

Spiraea, cont.

- nobleana, *Hook.*
- notha, *Zabel.*
- nudiflora, *Zabel.*
- salicifolia, *L.*
- sorbifolia, *L.*
- tomentosa, *L.*

Staphylea colchica, Stei.

- pinnata, *L.*

Symphoricarpus Heyeri, Dippel.

- mollis, *Nutt.* var. ciliatus, *Nutt.*
- racemosus, *Michx.*
- rotundifolius, *A. Gray.*

Syringa Emodi, Wall.

- var. rosea, *Cornu.*
- japonica, *Decne.*
- Josikaea, *Jacq. f.*
- vulgaris, *L.*

Tamarix anglica, Webb.

- Pallasii, *Desv.*
- tetrandra, *Pall.*

Taxus baccata, L.

- cuspidata, *Sieb. & Zucc.*

Thuja gigantea, Nutt.

- japonica, *Maxim.*
- occidentalis, *L.*
- var. Dicksoni.
- orientalis, *L.*

Tilia argentea, Desf.

- cordata, *Mill.*
- petiolaris, *DC.*
- platyphyllos, *Scop.*
- vulgaris, *Hayne.*

Tsuga pattoniana, Engelm.

- var. glauca.

Ulex europaeus, L.

- nanus, *Forst.*

Vaccinium corymbosum, L.

- hirsutum, *Buckl.*
- ovatum, *Pursh.*
- pensylvanicum, *Lam.*
- stamineum, *L.*

Veronica Traversii, *Hook. f.*

Viburnum acerifolium, *L.*

cassinoides, *L.*

dentatum, *L.*

dilatatum, *Thunb.*

Lantana, *L.*

Lentago, *L.*

molle, *Michx.*

nudum, *L.*

Opulus, *L.*

phlebotrichum, *Sieb. & Zucc.*

Tinus, *L.*

Vitis aestivalis, *Michx.*

heterophylla, *Thunb.*

himalayana, *Brand.*

quinquefolia, *Lam.*

serianaefolia, *Maxim.*

vinifera, *L.*

— var. *laciniosa*.

Widdringtonia Whytei, *Rendle.*

Zanthoxylum Bungei, *Planch.*

Zenobia speciosa, *D. Don.*

— var. *pulverulenta*.